

Datasheet: MCA2352A647T

Description:	HAMSTER ANTI MOUSE CD121a:Alexa Fluor® 647
Specificity:	CD121a
Other names:	INTERLEUKIN 1 RECEPTOR TYPE 1
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	JAMA-147
Isotype:	IgG
Quantity:	25 TESTS/0.25ml

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10
Functional Assays (1)			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) Bio-Rad recommend the use of MCA2352XZ for functional assays.

Target Species	Mouse				
Product Form	Purified IgG conjugated to Alexa Fluor® 647- liquid				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	Alexa Fluor®647	650	665		
Preparation	Purified IgG prepare	ed by affinity chromatog	raphy on Protein G fron	n tissue culture supernatant	
Buffer Solution	Phosphate buffered	saline			
Preservative	0.09% Sodium Azid	e			
Stabilisers	1% Bovine Serur	m Albumin			
Approx. Protein Concentrations	IgG concentration 0.	.05 mg/ml			
Immunogen	Extracellular domain of murine IL-1R.				
External Database Links	UniProt: P13504 Rela	ted reagents			

## **Entrez Gene:**

16177 II1r1 Related reagents

Synonyms	II-1r1, II1ra
RRID	AB_2125043
Fusion Partners	Spleen cells from immunised Armenian Hamster were fused with cells of the mouse P3X63.Ag 8-653 myeloma cell line.
Specificity	Hamster anti Mouse CD121a monoclonal antibody, clone JAMA-147 recognizes murine CD121a, the ~80 kDa type I interleukin-1 receptor. CD121a is a single pass type I membrane glycoprotein, weakly expressed on most cells and tissues including T lymphocytes, thymocytes, epithelial cells and dendritic cells, with stronger expression reported on fibroblasts.
	The ligands for CD121a are the interleukin-1 (IL-1) family members; IL-1 alpha; IL-1 beta and IL-1 receptor antagonist. IL-1 is a mediator of inflammation and can elicit a variety of other biological responses through binding to CD121a.
	Hamster anti mouse CD121 antibody, clone JAMA-147 has been reported to block IL-1 dependent cellular responses (Rogers et al. 1992).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
	The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity Fc receptors. This may be reduced by using SeroBlock FcR ( <u>BUF041A/B</u> ).
References	<ol> <li>Scarim, A.L. <i>et al.</i> (1997) Evidence for the presence of type I IL-1 receptors on beta-cells of islets of Langerhans. Biochim Biophys Acta. 1361 (3): 313-20.</li> <li>Merrick, J.C. <i>et al.</i> (1997) Lymphocyte apoptosis during early phase of Listeria infection in mice. Am J Pathol. 151 (3): 785-92.</li> <li>Beckerman, K.P. <i>et al.</i> (1993) Release of nitric oxide during the T cell-independent pathway of macrophage activation. Its role in resistance to <i>Listeria monocytogenes</i>. J Immunol. 150 (3): 888-95.</li> <li>Kavanagh, D.P. <i>et al.</i> (2013) Mechanisms of adhesion and subsequent actions of a haematopoietic stem cell line, HPC-7, in the injured murine intestinal microcirculation <i>in vivo</i>. PLoS One. 8 (3): e59150.</li> </ol>
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. This product is photosensitive and should be protected from light.  Avoid repeated freezing and thawing as this may denature the antibody. Should this product
	contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic

purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information	Material Safety Datasheet documentation #10041 available at: 10041: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf</a>
Regulatory	For research purposes only

## Related Products

#### **Recommended Negative Controls**

HAMSTER (ARMENIAN) IgG NEGATIVE CONTROL: Alexa Fluor® 647 (MCA2356A647)

### **Recommended Useful Reagents**

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

'M366697:200529'

#### Printed on 16 Sep 2020

© 2020 Bio-Rad Laboratories Inc | Legal | Imprint