

Datasheet: MCA2356PE

## **BATCH NUMBER 154475**

Description:	HAMSTER (ARMENIAN) IgG NEGATIVE CONTROL:RPE
Specificity:	ARMENIAN HAMSTER IgG NEGATIVE CONTROL
Format:	RPE
Product Type:	Negative/Isotype Control
Isotype:	IgG
Quantity:	100 TESTS/1ml

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures.

Target Species	Negative Control	Negative Control				
Product Form	Purified IgG conjugate	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized				
Reconstitution	Reconstitute with 1.0	Reconstitute with 1.0 ml distilled water				
Max Ex/Em	Fluorophore		Emission Max (nm)			
	RPE 488nm laser	496	578			
Preparation	Purified IgG prepared	Purified IgG prepared by affinity chromatography				
Buffer Solution	Phosphate buffered s	Phosphate buffered saline				
Preservative	0.09% Sodium Azide					
Stabilisers	1% Bovine Serum Albumin					
	5% Sucrose					
Immunogen	Trinitrophenol - KLH.					
RRID	AB_567314					

Specificity	Hamster (Armenian) IgG negative control) is suitable for use the measurement of non-specific binding of Armenian hamster isotype IgG, to human, mouse or rat tissues.	<u>=</u>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells	in 100ul
References	1. Suzuki-Inoue, K. <i>et al.</i> (2010) Essential <i>in vivo</i> roles of the CCLEC-2: Embryonic/neonatal lethality of CLEC-2 deficient mice misconnections and impaired thrombus formation of CLEC-2 d. Chem. 285: 24494-507.	e by blood/lymp[hatic
Storage	Prior to reconstitution store at +4°C.  After reconstitution store at +4°C.  DO NOT FREEZE. This product should be stored undiluted. The and should be protected from light. Should this product contain recommend microcentrifugation before use.	·
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2356PE">https://www.bio-rad-antibodies.com/SDS/MCA2356PE</a> 20487	
Regulatory	For research purposes only	

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 Europe Fax: +44 (0)1865 852 739 America Fax: +1 919 878 3751 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375467:210104'

## Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint