

Datasheet: MCA2365GA

### **BATCH NUMBER 1801**

Description:	MOUSE ANTI BOVINE CD335
Specificity:	CD335
Other names:	NKp46
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AKS1
Isotype:	lgG1
Quantity:	0.1 mg

# **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	<b>Suggested Dilution</b>
Flow Cytometry	•			1/50 - 1/200
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation			•	
Western Blotting	•			
Immunofluorescence				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system to a concentration equivalent to their test reagent.

Target Species	Bovine
Species Cross Reactivity	Reacts with: American Bison  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture

# supernatant

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Fusion protein consisting of the extracellular region of bovine CD335.
External Database Links	UniProt:  Q863H2 Related reagents  Entrez Gene:  369024 NCR1 Related reagents
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the NS-0 myeloma cell line.
Specificity	Mouse anti Bovine CD335 antibody, clone AKS1 recognizes bovine CD335, also known as NKp46 and Natural cytotoxicity triggering receptor 1. CD335 is a type I transmembrane protein, with two extracellular C2-type immunoglobulin-like domains, which functions as an activating receptor. CD335 is expressed by human natural killer cells (Sivori et al. 1997). The bovine homologue is expressed on bovine NK cells (Storset et al. 2004) and no expression of CD335 has been detected on B cells, T cells, monocytes or granulocytes.  Clone AKS1 is reported to activate lysis of FcgammaR-expressing cell line P815, by IL-2 activated NKp46+ cells (Storset et al. 2004).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	1. Storset, A.K. <i>et al.</i> (2004) NKp46 defines a subset of bovine leukocytes with natural killer cell characteristics. Eur J Immunol. 34 (3): 669-76.  2. Kulberg, S. <i>et al.</i> (2004) Reference values for relative numbers of natural killer cells in cattle blood. Dev Comp Immunol. 28 (9): 941-8.  3. Van Rhijn, I. <i>et al.</i> (2007) Massive, sustained γ/δ T cell migration from the bovine skin <i>in vivo</i> . J Leukoc Biol. 81: 968-73.  4. Toka, F.N. <i>et al.</i> (2011) Rapid and Transient Activation of γ/δ T Cells to IFN-γ Production, NK Cell-Like Killing, and Antigen Processing during Acute Virus Infection. J Immunol. 186: 4853-61.  5. Bastos, R.G. <i>et al.</i> (2008) Bovine NK cells acquire cytotoxic activity and produce IFN-γ after stimulation by <i>Mycobacterium bovis</i> BCG- or <i>Babesia bovis</i> -exposed splenic dendritic cells. Vet Immunol Immunopathol. 124: 302-12.

6. Boysen P et al. (2006) Bovine CD2-/NKp46+ cells are fully functional natural killer cells

- with a high activation status. BMC Immunol. 7: 10.
- 7. Elhmouzi-Younes, J. *et al.* (2009) Bovine neonate natural killer cells are fully functional and highly responsive to interleukin-15 and to NKp46 receptor stimulation. <u>Vet Res. 40:</u> 54.
- 8. Elhmouzi-Younes, J. *et al.* (2010) Ovine CD16+/CD14- blood lymphocytes present all the major characteristics of natural killer cells. <u>Vet Res. 41:4.</u>
- 9. Hoek, A. *et al.* (2009) Subpopulations of bovine WC1(+) γ/δ T cells rather than CD4(+)CD25(high) Foxp3(+) T cells act as immune regulatory cells *ex vivo*. <u>Vet Res. 40:6.</u>
- 10. Zuerner, R.L. *et al.* (2011) A *Leptospira borgpetersenii* Serovar Hardjo Vaccine Induces a Th1 Response, Activates NK Cells, and Reduces Renal Colonization. <u>Clin</u> Vaccine Immunol. 18: 684-91.
- 11. Nelson, D.D. *et al.* (2010) CD8(+)/perforin(+)/WC1(-)  $\gamma$ / $\delta$ T cells, not CD8(+)  $\alpha$ / $\beta$  T cells, infiltrate vasculitis lesions of American bison (*Bison bison*) with experimental sheep-associated malignant catarrhal fever. Vet Immunol Immunopathol. 136: 284-91.
- 12. Banos, G. *et al.* (2013) Identification of immune traits correlated with dairy cow health, reproduction and productivity. PLoS One. 8: e65766.
- 13. Ramstead, A.G. *et al.* (2015) Aging influences the response of T cells to stimulation by the ellagitannin, oenothein B. <u>Int Immunopharmacol. 26 (2): 367-77.</u>
- 14. Boysen, P. *et al.* (2008) Natural killer cells in lymph nodes of healthy calves express CD16 and show both cytotoxic and cytokine-producing properties. <u>Dev Comp Immunol. 32</u> (7): 773-83.
- 15. González-Cano, P. *et al.* (2014) Two functionally distinct myeloid dendritic cell subpopulations are present in bovine blood. Dev Comp Immunol. 44 (2): 378-88.
- 16. Di Palma, S. *et al.* (2012) Comparative spatiotemporal analysis of the intrathecal immune response in natural listeric rhombencephalitis of cattle and small ruminants. Comp Immunol Microbiol Infect Dis. 35 (5): 429-41.
- 17. Pirson, C. *et al.* (2015) Highly purified mycobacterial phosphatidylinositol mannosides drive cell-mediated responses and activate NKT cells in cattle. <u>Clin Vaccine Immunol. 22</u> (2): 178-84.
- 18. Schneider, D.A. *et al.* (2011) Dynamics of bovine spleen cell populations during the acute response to *Babesia bovis* infection: an immunohistological study. <u>Parasite Immunol.</u> 33 (1): 34-44.
- 19. Van Meulder F *et al.* (2015) Analysis of the protective immune response following intramuscular vaccination of calves against the intestinal parasite *Cooperia oncophora*. <u>Int J Parasitol. 45 (9-10): 637-46.</u>
- 20. Patch, J.R. *et al.* (2014) Infection with foot-and-mouth disease virus (FMDV) induces a natural killer (NK) cell response in cattle that is lacking following vaccination. <u>Comp Immunol Microbiol Infect Dis. 37 (4): 249-57.</u>
- 21. Hedges, J.F. *et al.* (2015) Amphotericin B stimulates γδ T and NK cells, and enhances protection from *Salmonella* infection. <u>Innate Immun. 21 (6): 598-608.</u>
- 22. Allan, A.J. *et al.* (2015) Cattle NK Cell Heterogeneity and the Influence of MHC Class I. <u>J Immunol</u>. 195 (5): 2199-206.
- 23. Maślanka, T. *et al.* (2016) Prostaglandin E<sub>2</sub> exerts the proapoptotic and antiproliferative effects on bovine NK cells Res Vet Sci. 107: 80-7.
- 24. Hecker YP *et al.* (2015) Cell mediated immune responses in the placenta following challenge of vaccinated pregnant heifers with *Neospora caninum*. <u>Vet Parasitol. 214 (3-4): 247-54.</u>

- 25. Ohira K *et al.* (2016) Bovine leukemia virus reduces anti-viral cytokine activities and NK cytotoxicity by inducing TGF-β secretion from regulatory T cells. Immun Inflamm Dis. 4 (1): 52-63.
- 26. Johnson, W.C. *et al.* (2008) Bovine WC1(-) γδT cells incubated with IL-15 express the natural cytotoxicity receptor CD335 (NKp46) and produce IFN-γ in response to exogenous IL-12 and IL-18. <u>Dev Comp Immunol. 32 (8): 1002-10.</u>
- 27. Sipka, A. *et al.* (2016) Bovine natural killer cells are present in *Escherichia coli* infected mammary gland tissue and show antimicrobial activity *in vitro*. Comp Immunol, Microbiol Infect Dis. 48: 54-60.
- 28. Hamilton, C.A. *et al.* (2016) Interactions between natural killer cells and dendritic cells favour T helper1-type responses to BCG in calves. Vet Res. 47 (1): 85.
- 29. Krueger, L.A. *et al.* (2016) Gamma delta T cells are early responders to *Mycobacterium avium* ssp. *paratuberculosis* in colostrum-replete Holstein calves. <u>J Dairy Sci. Sep 7. pii: S0022-0302(16)30611-7. [Epub ahead of print]</u>
- 30. Steinbach, S. *et al.* (2016) CD4+ and γδ T Cells are the main Producers of IL-22 and IL-17A in Lymphocytes from *Mycobacterium bovis*-infected Cattle. <u>Sci Rep. 6: 29990.</u>
- 31. Rutigliano, H.M. *et al.* (2016) Trophoblast Major Histocompatibility Complex Class I Expression Is Associated with Immune-Mediated Rejection of Bovine Fetuses Produced by Cloning. <u>Biol Reprod. 95 (2): 39.</u>
- 32. González-Hernández A *et al.* (2016) Host protective ASP-based vaccine against the parasitic nematode *Ostertagia ostertagi* triggers NK cell activation and mixed IgG1-IgG2 response. <u>Sci Rep. 6: 29496.</u>
- 33. Khosa, S. *et al.* (2020) Bovine Adenovirus-3 Tropism for Bovine Leukocyte Sub-Populations. <u>Viruses. 12 (12)Dec 12 [Epub ahead of print].</u>
- 34. Denholm, S.J. *et al.* (2017) Estimating genetic and phenotypic parameters of cellular immune-associated traits in dairy cows. <u>J Dairy Sci. 100 (4): 2850-2862.</u>
- 35. Hamilton, C.A. *et al.* (2017) Frequency and phenotype of natural killer cells and natural killer cell subsets in bovine lymphoid compartments and blood. <u>Immunology. 151</u> (1): 89-97.
- 36. Bassi, P.B. *et al.* (2018) Parasitological and immunological evaluation of cattle experimentally infected with *Trypanosoma vivax*. <u>Exp Parasitol</u>. 185: 98-106.
- 37. de Araújo, F.F. *et al.* (2019) Distinct immune response profile during *Rhipicephalus*. (*Boophilus*.) *microplus*. infestations of guzerat dairy herd according to the maternal lineage ancestry (mitochondrial DNA). Vet Parasitol. 273: 36-44.
- 38. Nakajima, N. *et al.* (2019) Effects of direct exposure to cold weather under grazing in winter on the physiological, immunological, and behavioral conditions of Japanese Black beef cattle in central Japan. <u>Anim Sci J. 90 (8): 1033-1041.</u>

### **Further Reading**

- 1. Sivori, S. *et al.* (1997) p46, a novel natural killer cell-specific surface molecule that mediates cell activation. J Exp Med. 186 (7): 1129-36.
- 2. Storset, A.K. *et al.* (2003) Natural killer cell receptors in cattle: a bovine killer cell immunoglobulin-like receptor multigene family contains members with divergent signaling motifs. <u>Eur J Immunol. 33 (4): 980-90.</u>

#### Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2365GA">https://www.bio-rad-antibodies.com/SDS/MCA2365GA</a> 10040
Regulatory	For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) **RPE** Goat Anti Mouse IgG IgA IgM (STAR87...) HRP Goat Anti Mouse IgG (STAR76...) **RPE** Goat Anti Mouse IgG (STAR70...) **FITC** Rabbit Anti Mouse IgG (STAR13...) **HRP** Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP Rabbit Anti Mouse IgG (STAR9...) **FITC** Goat Anti Mouse IgG (STAR77...) **HRP** Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550, DyLight®650, DyLight®680, DyLight®800,

<u> FITC, HRP</u>

### **Recommended Negative Controls**

### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366718:200529'

### Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint