

Datasheet: MCA2365PE

BATCH NUMBER 169040

Description:	MOUSE ANTI BOVINE CD335:RPE
Specificity:	CD335
Other names:	NKp46
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	AKS1
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system to a concentration equivalent to their test reagent.

Target Species

Bovine

Species Cross Reactivity

Reacts with: American Bison

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution

Reconstitute with 1 ml distilled water

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution	Phosphate buffered saline
Preservative	0.09% sodium azide (NaN ₃)
Stabilisers	1% bovine serum albumin 5% sucrose
Immunogen	Fusion protein consisting of the extracellular region of bovine CD335.
External Database Links	<p>UniProt: Q863H2 Related reagents</p> <p>Entrez Gene: 369024 NCR1 Related reagents</p>
RRID	AB_2149299
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the NS-0 myeloma cell line.
Specificity	<p>Mouse anti Bovine CD335 antibody, clone AKS1 recognizes bovine CD335, also known as NKp46 and Natural cytotoxicity triggering receptor 1. CD335 is a type I transmembrane protein, with two extracellular C2-type immunoglobulin-like domains, which functions as an activating receptor. CD335 is expressed by human natural killer cells (Sivori et al. 1997). The bovine homologue is expressed on bovine NK cells (Storset et al. 2004) and no expression of CD335 has been detected on B cells, T cells, monocytes or granulocytes.</p> <p>Clone AKS1 is reported to activate lysis of FcγR-expressing cell line P815, by IL-2 activated NKp46+ cells (Storset et al. 2004).</p>
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl
References	<ol style="list-style-type: none"> 1. Storset, A.K. <i>et al.</i> (2004) NKp46 defines a subset of bovine leukocytes with natural killer cell characteristics. Eur J Immunol. 34 (3): 669-76. 2. Kulberg, S. <i>et al.</i> (2004) Reference values for relative numbers of natural killer cells in cattle blood. Dev Comp Immunol. 28 (9): 941-8. 3. Van Rhijn, I. <i>et al.</i> (2007) Massive, sustained γδ T cell migration from the bovine skin <i>in vivo</i>. J Leukoc Biol. 81: 968-73. 4. Toka, F.N. <i>et al.</i> (2011) Rapid and Transient Activation of γδ T Cells to IFN-γ Production, NK Cell-Like Killing, and Antigen Processing during Acute Virus Infection. J Immunol. 186: 4853-61. 5. Bastos, R.G. <i>et al.</i> (2008) Bovine NK cells acquire cytotoxic activity and produce IFN-γ after stimulation by <i>Mycobacterium bovis</i> BCG- or <i>Babesia bovis</i>-exposed splenic dendritic cells. Vet Immunol Immunopathol. 124: 302-12. 6. Boysen P <i>et al.</i> (2006) Bovine CD2-/NKp46+ cells are fully functional natural killer cells with a high activation status. BMC Immunol. 7: 10. 7. Elh mouzi-Younes, J. <i>et al.</i> (2009) Bovine neonate natural killer cells are fully functional and highly responsive to interleukin-15 and to NKp46 receptor stimulation. Vet Res. 40:

[54.](#)

8. Elh mouzi-Younes, J. *et al.* (2010) Ovine CD16+/CD14- blood lymphocytes present all the major characteristics of natural killer cells. [Vet Res. 41:4.](#)
9. Hoek, A. *et al.* (2009) Subpopulations of bovine WC1(+) γ/δ T cells rather than CD4(+)CD25(high) Foxp3(+) T cells act as immune regulatory cells *ex vivo*. [Vet Res. 40:6.](#)
10. Zuerner, R.L. *et al.* (2011) A *Leptospira borgpetersenii* Serovar Hardjo Vaccine Induces a Th1 Response, Activates NK Cells, and Reduces Renal Colonization. [Clin Vaccine Immunol. 18: 684-91.](#)
11. Nelson, D.D. *et al.* (2010) CD8(+)/perforin(+)/WC1(-) γ/δ T cells, not CD8(+) α/β T cells, infiltrate vasculitis lesions of American bison (*Bison bison*) with experimental sheep-associated malignant catarrhal fever. [Vet Immunol Immunopathol. 136: 284-91.](#)
12. Banos, G. *et al.* (2013) Identification of immune traits correlated with dairy cow health, reproduction and productivity. [PLoS One. 8: e65766.](#)
13. Ramstead, A.G. *et al.* (2015) Aging influences the response of T cells to stimulation by the ellagitannin, oenothien B. [Int Immunopharmacol. 26 \(2\): 367-77.](#)
14. Boysen, P. *et al.* (2008) Natural killer cells in lymph nodes of healthy calves express CD16 and show both cytotoxic and cytokine-producing properties. [Dev Comp Immunol. 32 \(7\): 773-83.](#)
15. González-Cano, P. *et al.* (2014) Two functionally distinct myeloid dendritic cell subpopulations are present in bovine blood. [Dev Comp Immunol. 44 \(2\): 378-88.](#)
16. Di Palma, S. *et al.* (2012) Comparative spatiotemporal analysis of the intrathecal immune response in natural listeric rhombencephalitis of cattle and small ruminants. [Comp Immunol Microbiol Infect Dis. 35 \(5\): 429-41.](#)
17. Pirson, C. *et al.* (2015) Highly purified mycobacterial phosphatidylinositol mannosides drive cell-mediated responses and activate NKT cells in cattle. [Clin Vaccine Immunol. 22 \(2\): 178-84.](#)
18. Schneider, D.A. *et al.* (2011) Dynamics of bovine spleen cell populations during the acute response to *Babesia bovis* infection: an immunohistological study. [Parasite Immunol. 33 \(1\): 34-44.](#)
19. Van Meulder F *et al.* (2015) Analysis of the protective immune response following intramuscular vaccination of calves against the intestinal parasite *Cooperia oncophora*. [Int J Parasitol. 45 \(9-10\): 637-46.](#)
20. Patch, J.R. *et al.* (2014) Infection with foot-and-mouth disease virus (FMDV) induces a natural killer (NK) cell response in cattle that is lacking following vaccination. [Comp Immunol Microbiol Infect Dis. 37 \(4\): 249-57.](#)
21. Hedges, J.F. *et al.* (2015) Amphotericin B stimulates $\gamma\delta$ T and NK cells, and enhances protection from *Salmonella* infection. [Innate Immun. 21 \(6\): 598-608.](#)
22. Allan, A.J. *et al.* (2015) Cattle NK Cell Heterogeneity and the Influence of MHC Class I. [J Immunol. 195 \(5\): 2199-206.](#)
23. Maślanka, T. *et al.* (2016) Prostaglandin E₂ exerts the proapoptotic and antiproliferative effects on bovine NK cells [Res Vet Sci. 107: 80-7.](#)
24. Hecker YP *et al.* (2015) Cell mediated immune responses in the placenta following challenge of vaccinated pregnant heifers with *Neospora caninum*. [Vet Parasitol. 214 \(3-4\): 247-54.](#)
25. Ohira K *et al.* (2016) Bovine leukemia virus reduces anti-viral cytokine activities and NK cytotoxicity by inducing TGF- β secretion from regulatory T cells. [Immun Inflamm Dis. 4 \(1\): 52-63.](#)

26. Johnson, W.C. *et al.* (2008) Bovine WC1(-) $\gamma\delta$ T cells incubated with IL-15 express the natural cytotoxicity receptor CD335 (NKp46) and produce IFN- γ in response to exogenous IL-12 and IL-18. [Dev Comp Immunol. 32 \(8\): 1002-10.](#)
27. Sipka, A. *et al.* (2016) Bovine natural killer cells are present in *Escherichia coli* infected mammary gland tissue and show antimicrobial activity *in vitro*. [Comp Immunol, Microbiol Infect Dis. 48: 54-60.](#)
28. Hamilton, C.A. *et al.* (2016) Interactions between natural killer cells and dendritic cells favour T helper1-type responses to BCG in calves. [Vet Res. 47 \(1\): 85.](#)
29. Krueger, L.A. *et al.* (2016) Gamma delta T cells are early responders to *Mycobacterium avium* ssp. *paratuberculosis* in colostrum-replete Holstein calves. [J Dairy Sci. 99 \(11\): 9040-50.](#)
30. Steinbach, S. *et al.* (2016) CD4+ and $\gamma\delta$ T Cells are the main Producers of IL-22 and IL-17A in Lymphocytes from *Mycobacterium bovis*-infected Cattle. [Sci Rep. 6: 29990.](#)
31. Rutigliano, H.M. *et al.* (2016) Trophoblast Major Histocompatibility Complex Class I Expression Is Associated with Immune-Mediated Rejection of Bovine Fetuses Produced by Cloning. [Biol Reprod. 95 \(2\): 39.](#)
32. González-Hernández A *et al.* (2016) Host protective ASP-based vaccine against the parasitic nematode *Ostertagia ostertagi* triggers NK cell activation and mixed IgG1-IgG2 response. [Sci Rep. 6: 29496.](#)
33. Khosa, S. *et al.* (2020) Bovine Adenovirus-3 Tropism for Bovine Leukocyte Sub-Populations. [Viruses. 12 \(12\): 1431.](#)
34. Denholm, S.J. *et al.* (2017) Estimating genetic and phenotypic parameters of cellular immune-associated traits in dairy cows. [J Dairy Sci. 100 \(4\): 2850-2862.](#)
35. Hamilton, C.A. *et al.* (2017) Frequency and phenotype of natural killer cells and natural killer cell subsets in bovine lymphoid compartments and blood. [Immunology. 151 \(1\): 89-97.](#)
36. Bassi, P.B. *et al.* (2018) Parasitological and immunological evaluation of cattle experimentally infected with *Trypanosoma vivax*. [Exp Parasitol. 185: 98-106.](#)
37. de Araújo, F.F. *et al.* (2019) Distinct immune response profile during *Rhipicephalus* (*Boophilus*) *microplus*. infestations of guzerat dairy herd according to the maternal lineage ancestry (mitochondrial DNA). [Vet Parasitol. 273: 36-44.](#)
38. Nakajima, N. *et al.* (2019) Effects of direct exposure to cold weather under grazing in winter on the physiological, immunological, and behavioral conditions of Japanese Black beef cattle in central Japan. [Anim Sci J. 90 \(8\): 1033-1041.](#)
39. Okino, C.H. *et al.* (2020) A polymorphic CD4 epitope related to increased susceptibility to *Babesia bovis*. in Canchim calves. [Vet Immunol Immunopathol. 230: 110132.](#)
40. de Araújo, F.F. *et al.* (2019) Distinct immune response profile during *Rhipicephalus* (*Boophilus*) *microplus*. infestations of guzerat dairy herd according to the maternal lineage ancestry (mitochondrial DNA). [Vet Parasitol. 273: 36-44.](#)
41. Colombatti Olivieri, M.A. *et al.* (2021) Evaluation of a virulent strain of *Mycobacterium avium* subsp. *paratuberculosis* used as a heat-killed vaccine. [Vaccine. 39 \(51\): 7401-7412.](#)
42. Blanco, F.C. *et al.* (2021) Identifying Bacterial and Host Factors Involved in the Interaction of *Mycobacterium bovis* with the Bovine Innate Immune Cells. [Front Immunol. 12: 674643.](#)
43. Hong, S. *et al.* (2024) Impact of an Injectable Trace Mineral Supplement on the Immune Response and Outcome of *Mannheimia haemolytica* Infection in Feedlot Cattle. [Biol Trace Elem Res. Jun 10 \[Epub ahead of print\].](#)

44. Scatà, C.M. *et al.* (2024) Characterization of Cellular Immune System at Different Ages in Water Buffalo (*Bubalus bubalis*) [Journal of Buffalo Science. 13: 133-139.](#)
45. Gilbert, F.B. *et al.* (2025) Expression of FcγR by bovine mononuclear blood leukocytes. [Dev Comp Immunol. 162: 105304.](#)

Further Reading	1. Sivori, S. <i>et al.</i> (1997) p46, a novel natural killer cell-specific surface molecule that mediates cell activation. J Exp Med. 186 (7): 1129-36.
	2. Storset, A.K. <i>et al.</i> (2003) Natural killer cell receptors in cattle: a bovine killer cell immunoglobulin-like receptor multigene family contains members with divergent signaling motifs. Eur J Immunol. 33 (4): 980-90.

Storage	Prior to reconstitution store at +4°C. Following reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	---

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA2365PE 20487
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:RPE \(MCA928PE\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M431587:240730'

Printed on 23 May 2025