

Datasheet: MCA2367GA

Description:	RAT ANTI MOUSE CD197
Specificity:	CD197
Other names:	CCR7
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	4B12
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			1/25 - 1/100
Immunohistology - Frozen			■	
Immunohistology - Paraffin			■	
ELISA			■	
Immunoprecipitation	■			
Western Blotting			■	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN ₃)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	CCR7 rat basophilic leukaemia (RBL)-2H3 transfectants.
External Database Links	<p>UniProt: P47774 Related reagents</p> <p>Entrez Gene: 12775 Ccr7 Related reagents</p>
Synonyms	Cmkbr7, Ebi1, Ebi1h
RRID	AB_566604
Fusion Partners	Spleen cells from immunised Lou/c rats were fused with cells of the mouse X63.Ag8.653 myeloma cell line.
Specificity	<p>Rat anti Mouse CD197 antibody, clone 4B12 recognizes murine C-C chemokine receptor type 7, also known as CD197, Epstein-Barr virus-induced G-protein coupled receptor 1, CCR7 or MIP-3 beta receptor. CD197 is a 354 amino acid ~43 kDa member of the G-protein coupled receptor family. In mice, CD197 is expressed on most naïve T cells, a subset of memory T cells, B cells, mature dendritic cells, NK cells, a subset of thymocytes and CD34+ macrophage progenitor cells.</p> <p>CD197 is a functional receptor for chemokines CCL21 and CCL19. The receptor plays an important role in regulating the trafficking and homing of lymphocytes and dendritic cells to secondary lymphoid organs.</p> <p>Rat anti Mouse CD197 antibody, clone 4B12 does not block the binding of the ligand to CD197.</p>
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl
References	1. Ritter, U. <i>et al.</i> (2004) Analysis of the CCR7 expression on murine bone marrow-derived and spleen dendritic cells. J Leukoc Biol. 76 (2): 472-6.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA2367GA>
10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR131...)	Alk. Phos. , Biotin
Goat Anti Rat IgG (STAR72...)	HRP
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight®550 , DyLight®650 , DyLight®800
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight®800

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL \(MCA1212\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
--------------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M414744:221213'

Printed on 12 Aug 2023