

Datasheet: MCA2401

BATCH NUMBER 168803

Description:	RAT ANTI MOUSE MHC CLASS II H-2I-Ak/d/b/q/r
Specificity:	MHC CLASS II H-2I-Ak/d/b/q/r
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	ER-TR3
Isotype:	IgG2b
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN ₃)
Carrier Free	Yes

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Isolated C3H thymic stromal cells.
RRID	AB_877512
Fusion Partners	Cells from immunized rats were fused with cells of the mouse P3-X63-Ag8.563 myeloma cell line.
Specificity	<p>Rat anti Mouse MHC Class II H-2I-Ak/D/B/Q/R antibody, clone ER-TR3 recognizes a polymorphic determinant of the mouse H-2I-A MHC class II antigen, reacting with haplotypes k, d, b, q and r. Mouse strains with the haplotypes s and f are not recognized by this antibody.</p> <p>Mouse MHC class II antigens are expressed by dendritic cells, B cells and macrophages. In thymus tissues, clone ER-TR3 stains cortical and medullary stromal cells.</p> <p>The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In mice, this complex is referred to as the H-2 region.</p>
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl
References	<ol style="list-style-type: none"> Huiskamp, R. <i>et al.</i> (1985) Repopulation of the mouse thymus after sublethal fission neutron irradiation. II. Sequential changes in the thymic microenvironment. J Immunol. 134 (4): 2170-8. Van Vliet, E. <i>et al.</i> (1985) Stromal cell types in the developing thymus of the normal and nude mouse embryo. Eur J Immunol. 15 (7): 675-81. Matsuno, K. <i>et al.</i> (2002) Kupffer cell-mediated recruitment of dendritic cells to the liver crucial for a host defense. Dev Immunol. 9 (3): 143-9. Gadagkar, S.G. <i>et al.</i> (2023) CD36 neutralisation blunts TLR2-IRF7 but not IRF3 pathway in neonatal mouse brain and immature human microglia following innate immune challenge. Sci Rep. 13 (1): 2304.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2401 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight@550 , DyLight@650 , DyLight@800
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight@800
Goat Anti Rat IgG (STAR131...)	Alk. Phos. , Biotin
Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR72...)	HRP
Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR73...)	RPE

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M415018:221215'

Printed on 27 Aug 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)