

Datasheet: MCA2401

| Description: | RAT ANTI MOUSE MHC CLASS II H-2I-Ak/d/b/q/r |
|---------------|---|
| Specificity: | MHC CLASS II H-2I-Ak/d/b/q/r |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | ER-TR3 |
| Isotype: | lgG2b |
| Quantity: | 0.25 mg |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|---------------------------|
| Flow Cytometry | - | | | |
| Immunohistology - Frozen | • | | | |
| Immunohistology - Paraffin | | | • | |
| ELISA | | | • | |
| Immunoprecipitation | | | • | |
| Western Blotting | | | | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Mouse | |
|-----------------------------|--|---------------------|
| Product Form | Purified IgG - liquid | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein G supernatant | From tissue culture |
| Buffer Solution | Phosphate buffered saline | |
| Preservative Stabilisers | 0.09% sodium azide (NaN ₃) | |
| Carrier Free | Yes | |

| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
|----------------------------------|--|
| Immunogen | Isolated C3H thymic stromal cells. |
| RRID | AB_877512 |
| Fusion Partners | Cells from immunized rats were fused with cells of the mouse P3-X63-Ag8.563 myeloma cell line. |
| Specificity | Rat anti Mouse MHC Class II H-2I-Ak/D/B/Q/R antibody, clone ER-TR3 recognizes a polymorphic determinant of the mouse H-2I-A MHC class II antigen, reacting with haplotypes k, d, b, q and r. Mouse strains with the haplotypes s and f are not recognized by this antibody. |
| | Mouse MHC class II antigens are expressed by dendritic cells, B cells and macrophages. In thymus tissues, clone ER-TR3 stains cortical and medullary stromal cells. |
| | The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In mice, this complex is referred to as the H-2 region. |
| Flow Cytometry | Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl |
| References | Huiskamp, R. <i>et al.</i> (1985) Repopulation of the mouse thymus after sublethal fission neutron irradiation. II. Sequential changes in the thymic microenvironment. <u>J Immunol.</u> 134 (4): 2170-8. Van Vliet, E. <i>et al.</i> (1985) Stromal cell types in the developing thymus of the normal and nude mouse embryo. <u>Eur J Immunol.</u> 15 (7): 675-81. |
| | 3. Matsuno, K. <i>et al.</i> (2002) Kupffer cell-mediated recruitment of dendritic cells to the liver crucial for a host defense. <u>Dev Immunol. 9 (3): 143-9.</u> |
| | 4. Gadagkar, S.G. <i>et al.</i> (2023) CD36 neutralisation blunts TLR2-IRF7 but not IRF3 pathway in neonatal mouse brain and immature human microglia following innate immune challenge. <u>Sci Rep. 13 (1): 2304.</u> |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. |
| | Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2401 10040 |
| Regulatory | For research purposes only |
| | |

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR21...) HRP

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>
Goat Anti Rat IgG (STAR131...) <u>Alk. Phos., Biotin</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

HRP

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M415018:221215'

Printed on 27 Aug 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint