

## Datasheet: MCA2401A488

## BATCH NUMBER 1214

Description:	RAT ANTI MOUSE MHC CLASS II H-2I-Ak/d/b/q/r:Alexa Fluor® 488
Specificity:	MHC CLASS II H-2I-Ak/d/b/q/r
Format:	ALEXA FLUOR® 488
Product Type:	Monoclonal Antibody
Clone:	ER-TR3
Isotype:	lgG2b
Quantity:	100 TESTS/1ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
	information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/protocols.					
	Flow Cytometry	Yes	No	Not Determined	Suggested Dilution Neat - 1/10	
		not been te	ested for	use in a particular teo		
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.					
Target Species	Mouse					
Product Form	Purified IgG conjugated to Alexa Fluor® 488 - liquid					
Max Ex/Em	Fluorophore	Excitation Ma	ax (nm)	Emission Max (nm)		
	Alexa Fluor®488	495		519		
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin					
Approx. Protein Concentrations	IgG concentration 0.05	mg/ml				

Immunogen	Isolated C3H thymic stromal cells.
RRID	AB_906087
Fusion Partners	Cells from immunised rats were fused with cells of the mouse P3-X63-Ag8.563 myeloma cell line.
Specificity	<b>Rat anti Mouse MHC Class II H-2I-Ak/D/B/Q/R antibody, clone ER-TR3</b> recognizes a polymorphic determinant of the mouse H-2I-A MHC class II antigen, reacting with haplotypes k, d, b, q and r. Mouse strains with the haplotypes s and f are not recognized by this antibody.
	Mouse MHC class II antigens are expressed by dendritic cells, B cells and macrophages. In thymus tissues, clone ER-TR3 stains cortical and medullary stromal cells.
	The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In mice, this complex is referred to as the H-2 region.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
	The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity fc receptors. This may be reduced by using SeroBlock FcR ( <u>BUF041A/B</u> ).
References	<ol> <li>Huiskamp, R. <i>et al.</i> (1985) Repopulation of the mouse thymus after sublethal fission neutron irradiation. II. Sequential changes in the thymic microenvironment. <u>J Immunol.</u> <u>134 (4): 2170-8.</u></li> <li>Van Vliet, E. <i>et al.</i> (1985) Stromal cell types in the developing thymus of the normal and nude mouse embryo. <u>Eur J Immunol. 15 (7): 675-81.</u></li> <li>Matsuno, K. <i>et al.</i> (2002) Kupffer cell-mediated recruitment of dendritic cells to the liver crucial for a host defense. <u>Dev Immunol. 9 (3): 143-9.</u></li> </ol>
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening

	est basis; (c) manufacturing or not resold for use in luct for purposes other than 791 Van Allen Way, Carlsbad			
Health And Safety       Material Safety Datasheet documentation #10041 available at         Information       https://www.bio-rad-antibodies.com/SDS/MCA2401A488         10041				
Regulatory For research purposes only				
Related Products Recommended Useful Reagents				
MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)				

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bi	o-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datashee 'M366820:200529'					

## Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint