

## Datasheet: MCA2411GA

<b>Description:</b>	MOUSE ANTI DOG CD34
<b>Specificity:</b>	CD34
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	1H6
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Dog
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes

<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Canine CD34 fusion protein.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">Q28270</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">415130</a>    CD34    <a href="#">Related reagents</a></p>
<b>Fusion Partners</b>	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS-1/FOX-NY myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti dog CD34 antibody, clone 1H6</b> recognizes the canine homologue of CD34, a glycosylated type 1 transmembrane protein of approximately 110 kDa (<a href="#">McSweeney et al. 1998</a>) expressed on the cell surface of endothelial cells and haematopoietic stem cells.</p> <p>Mouse anti dog CD34 antibody, clone 1H6 is a key marker of canine hematopoietic progenitor cells and is reported for use in CD34+ enrichment assays, (<a href="#">Goerner et al. 2001</a>) and (<a href="#">Horn et al. 2004</a>).</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
<b>Western Blotting</b>	MCA2411GA detects a band of approximately 110kDa.
<b>References</b>	<ol style="list-style-type: none"> <li>McSweeney, P.A. <i>et al.</i> (1998) Characterization of monoclonal antibodies that recognize canine CD34. <a href="#">Blood. 91 (6): 1977-86.</a></li> <li>Goerner, M. <i>et al.</i> (1999) The use of granulocyte colony-stimulating factor during retroviral transduction on fibronectin fragment CH-296 enhances gene transfer into hematopoietic repopulating cells in dogs. <a href="#">Blood. 94 (7): 2287-92.</a></li> <li>Bhattacharya, V. <i>et al.</i> (2000) Enhanced endothelialization and microvessel formation in polyester grafts seeded with CD34(+) bone marrow cells. <a href="#">Blood. 95 (2): 581-5.</a></li> <li>Goerner, M. <i>et al.</i> (2001) Sustained multilineage gene persistence and expression in dogs transplanted with CD34(+) marrow cells transduced by RD114-pseudotype oncoretrovirus vectors. <a href="#">Blood. 98 (7): 2065-70.</a></li> <li>Horn, P.A. <i>et al.</i> (2004) Efficient lentiviral gene transfer to canine repopulating cells using an overnight transduction protocol. <a href="#">Blood. 103 (10): 3710-6.</a></li> <li>Avallone, G. <i>et al.</i> (2007) The spectrum of canine cutaneous perivascular wall tumors: morphologic, phenotypic and clinical characterization. <a href="#">Vet Pathol. 44 (5): 607-20.</a></li> <li>Palmieri, C. <i>et al.</i> (2013) Use of electron microscopy to classify canine perivascular wall tumors. <a href="#">Vet Pathol. 50 (2): 226-33.</a></li> <li>Georges, G. <i>et al.</i> (2001) Engraftment of DLA-haploidentical marrow with ex vivo expanded, retrovirally transduced cytotoxic T lymphocytes. <a href="#">Blood. 98:3447-55.</a></li> <li>Bearden, R.N. <i>et al.</i> (2017) <i>In-vitro</i> characterization of canine multipotent stromal cells isolated from synovium, bone marrow, and adipose tissue: a donor-matched comparative study. <a href="#">Stem Cell Res Ther. 8 (1): 218.</a></li> </ol>

10. Trindade, A.B. *et al.* (2017) Mesenchymal-like stem cells in canine ovary show high differentiation potential. [Cell Prolif. Oct 08 \[Epub ahead of print\]](#).
11. Lee, S.H. *et al.* (2016) Impact of local injection of brain-derived neurotrophic factor-expressing mesenchymal stromal cells (MSCs) combined with intravenous MSC delivery in a canine model of chronic spinal cord injury. [Cytotherapy. Oct 28 \[Epub ahead of print\]](#).
12. Muir, P. *et al.* (2016) Autologous Bone Marrow-Derived Mesenchymal Stem Cells Modulate Molecular Markers of Inflammation in Dogs with Cruciate Ligament Rupture. [PLoS One. 11 \(8\): e0159095](#).
13. Rajawat, Y.S. *et al.* (2021) *In Vivo* Gene Therapy for Canine SCID-X1 Using Cocal-Pseudotyped Lentiviral Vector. [Hum Gene Ther. 32 \(1-2\): 113-27](#).
14. Grudzien, M. *et al.* (2021) A newly established canine NK-type cell line and its cytotoxic properties. [Vet Comp Oncol. 19 \(3\): 567-77](#).
15. Tongu, E.A.O. *et al.* (2021) Allogenic mesenchymal stem cell-conditioned medium does not affect sperm parameters and mitigates early endometrial inflammatory responses in mares. [Theriogenology. 169: 1-8](#).

---

**Further Reading** 1. McSweeney, P. *et al.* (1996) Canine CD34: cloning of the cDNA and evaluation of an antiserum to recombinant protein. [Blood. 88:1992-2003](#).

---

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 available at: 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

---

**Regulatory** For research purposes only

## Related Products

### Recommended Secondary Antibodies

- |   |   |
|---|---|
| Goat Anti Mouse IgG (STAR77...)         | <a href="#">HRP</a>   |
| Rabbit Anti Mouse IgG (STAR12...)       | <a href="#">RPE</a>   |
| Rabbit Anti Mouse IgG (STAR8...)        | <a href="#">DyLight@800</a>   |
| Goat Anti Mouse IgG (STAR70...)         | <a href="#">FITC</a>  |
| Goat Anti Mouse IgG IgA IgM (STAR87...) | <a href="#">Alk. Phos.</a> , <a href="#">HRP</a>  |
| Rabbit Anti Mouse IgG (STAR9...)        | <a href="#">FITC</a>  |
| Goat Anti Mouse IgG (H/L) (STAR117...)  | <a href="#">Alk. Phos.</a> , <a href="#">DyLight@488</a> , <a href="#">DyLight@550</a> ,<br><a href="#">DyLight@650</a> , <a href="#">DyLight@680</a> , <a href="#">DyLight@800</a> ,<br><a href="#">FITC</a> , <a href="#">HRP</a> |
| Goat Anti Mouse IgG (STAR76...)         | <a href="#">RPE</a>   |
| Rabbit Anti Mouse IgG (STAR13...)       | <a href="#">HRP</a>   |

Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

## Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M383822:210513'

Printed on 05 Apr 2022

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)