# Datasheet: MCA2418 BATCH NUMBER 153585

| Description:  | MOUSE ANTI HUMAN CD62P |
|---------------|------------------------|
| Specificity:  | CD62P                  |
| Other names:  | P-SELECTIN             |
| Format:       | Purified               |
| Product Type: | Monoclonal Antibody    |
| Clone:        | Psel.KO.2.5            |
| Isotype:      | lgG1                   |
| Quantity:     | 0.2 mg                 |
|               |                        |

## **Product Details**

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

|                |  | Yes         | No                        | Not Determined          | Suggested Dilution  |  |
|----------------|--|-------------|---------------------------|-------------------------|---------------------|--|
|                | Flow Cytometry   | •           |                           |                         | Neat - 1/50         |  |
|                | Immunohistology - Frozen   |             |                           |                         |                     |  |
|                | Immunohistology - Paraffin   |             |                           |                         |                     |  |
|                | ELISA  |             |                           |                         |                     |  |
|                | Immunoprecipitation  | •           |                           |                         |                     |  |
|                | Western Blotting   |             |                           |                         |                     |  |
|                | Where this antibody has  | tested fo   | r use in a particular tec | hnique this does not    |                     |  |
|                | necessarily exclude its use in such procedures. Suggested working dilutions a  |             |                           |                         |                     |  |
|                | a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.  |             |                           |                         |                     |  |
|                |  |             |                           |                         |                     |  |
| Target Species | Human  |             |                           |                         |                     |  |
| Species Cross  | Reacts with: Pig, Sheep  |             |                           |                         |                     |  |
| Reactivity     | <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |             |                           |                         | wed publications or |  |
| Product Form   | Purified IgG - liquid  |             |                           |                         |                     |  |
| Preparation    | Purified IgG prepared by   | affinity ch | romatog                   | raphy on Protein A fror | n tissue culture    |  |

|                                   | supernatant  |  |  |
|-----------------------------------|--|--|--|
| Buffer Solution                   | Phosphate buffered saline  |  |  |
| Preservative<br>Stabilisers       | 0.09% Sodium Azide   |  |  |
| Carrier Free                      | Yes  |  |  |
| Approx. Protein<br>Concentrations | IgG concentration 1.0 mg/ml  |  |  |
| Immunogen                         | CD62P transfected 300.19 cells.  |  |  |
| External Database<br>Links        | UniProt:<br><u>P16109</u> <u>Related reagents</u><br>Entrez Gene:<br><u>6403</u> SELP <u>Related reagents</u>  |  |  |
| Synonyms                          | GMRP, GRMP   |  |  |
| RRID                              | AB_2238947   |  |  |
| Fusion Partners                   | Spleen cells from immunised CD62P knock-out mice (strain C57/B6) were fused with cells of the NS-1 myeloma cell line.  |  |  |
| Specificity                       | Mouse anti Human CD62P antibody, clone Psel.KO.2.5 recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein, also known as P-selectin.<br>CD62P is expressed by activated platelets and endothelial cells, and plays an important  |  |  |
|                                   | role in adhesive processes between leucocytes and endothelial cells.   |  |  |
| Flow Cytometry                    | Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.  |  |  |
| References                        | <ol> <li>Massaguer, A. <i>et al.</i> (2000) Production and characterization of monoclonal antibodies<br/>against conserved epitopes of P-selectin (CD62P). <u>Tissue Antigens. 56 (2): 117-28.</u></li> <li>Massaguer, A. <i>et al.</i> (2003) Characterization of platelet and soluble-porcine P-selectin<br/>(CD62P). <u>Vet Immunol Immunopathol. 96 (3-4): 169-81.</u></li> <li>Krajewski, S. <i>et al.</i> (2012) Flow cytometry analysis of porcine platelets: optimized<br/>methods for best results. <u>Platelets. 23: 386-94.</u></li> <li>Johnson, C.A. Jr <i>et al.</i> (2011) Platelet activation in ovines undergoing sham surgery or<br/>implant of the second generation PediaFlow pediatric ventricular assist device. <u>Artif</u><br/><u>Organs. 35 (6): 602-13.</u></li> <li>Tunjungputri, R.N. <i>et al.</i> (2016) Invasive pneumococcal disease leads to activation and</li> </ol> |  |  |

|                                  | <ul> <li>429-35.</li> <li>7. Chan, C.H.H. <i>et al.</i> (2017) Shear Stress-Induced Total Blood Trauma in Multiple Species. <u>Artif Organs. 41 (10): 934-47.</u></li> <li>8. Johnson, C.A. Jr. <i>et al.</i> (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. <u>Artif Organs. 35 (6): 602-13.</u></li> </ul> |  |  |  |
|----------------------------------|---|--|--|--|
| Further Reading                  | 1. Piriou-Guzylack, L. & Salmon, H. (2008) Membrane markers of the immune cells in swine: an update. <u>Vet Res. 39 (6): 54.</u>  |  |  |  |
| Storage                          | Store at +4°C or at -20°C if preferred.   |  |  |  |
|                                  | This product should be stored undiluted.  |  |  |  |
|                                  | Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  |  |  |  |
| Guarantee                        | 12 months from date of despatch   |  |  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at:<br>https://www.bio-rad-antibodies.com/SDS/MCA2418<br>10040   |  |  |  |
| Regulatory                       | For research purposes only  |  |  |  |

## **Related Products**

### **Recommended Secondary Antibodies**

| Rabbit Anti Mouse IgG (STAR12)                  | RPE  |  |  |  |
|---|--|--|--|--|
| Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u> |  |  |  |  |
| Goat Anti Mouse IgG (STAR76)                    | RPE  |  |  |  |
| Goat Anti Mouse IgG (STAR70)                    | <u>FITC</u>  |  |  |  |
| Rabbit Anti Mouse IgG (STAR13)                  | HRP  |  |  |  |
| Goat Anti Mouse IgG (Fc) (STAR120)              | FITC, HRP  |  |  |  |
| Rabbit Anti Mouse IgG (STAR9)                   | FITC   |  |  |  |
| Goat Anti Mouse IgG (STAR77)                    | HRP  |  |  |  |
| Goat Anti Mouse IgG (H/L) (STAR117)             | <u>Alk. Phos., DyLight®488, DyLight®550,</u>                   |  |  |  |
|   | <u>DyLight®650</u> , <u>DyLight®680</u> , <u>DyLight®800</u> , |  |  |  |
|   | <u>FITC, HRP</u>   |  |  |  |
| <b>Becommended Negative Controls</b>            |  |  |  |  |

### **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

| North & South | Tel: +1 800 265 7376             | Worldwide | Tel: +44 (0)1865 852 700        | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|----------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751             |           | Fax: +44 (0)1865 852 739        |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-rad | .com      | Email: antibody_sales_uk@bio-ra | ad.com | Email: antibody_sales_de@bio-rad.com |

#### Printed on 11 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint