Datasheet: MCA2418 BATCH NUMBER 166551

Description:	MOUSE ANTI HUMAN CD62P
Specificity:	CD62P
Other names:	P-SELECTIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	Psel.KO.2.5
Isotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	165	NO	Not Determined	Neat - 1/50	
	Immunohistology - Frozen			•	Noat 1/00	
	Immunohistology - Paraffin					
	ELISA			•		
	Immunoprecipitation	•				
	Western Blotting					
	Where this antibody has not been tested for use in a particular technique this does n necessarily exclude its use in such procedures. Suggested working dilutions are give					
	a guide only. It is recommended that the user titrates the antibody for use in their own					
	system using appropriate negative/positive controls.					
Target Species	Human					
Species Cross	Reacts with: Pig, Sheep					
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by	affinity ch	nromatoę	raphy on Protein A fron	n tissue culture	

	supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	CD62P transfected 300.19 cells.		
External Database Links	UniProt: <u>P16109</u> <u>Related reagents</u> Entrez Gene: <u>6403</u> SELP <u>Related reagents</u>		
Synonyms	GMRP, GRMP		
RRID	AB_2238947		
Fusion Partners	Spleen cells from immunised CD62P knock-out mice (strain C57/B6) were fused with cells of the NS-1 myeloma cell line.		
Specificity	Mouse anti Human CD62P antibody, clone Psel.KO.2.5 recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein, also known as P-selectin. CD62P is expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.		
References	 Massaguer, A. <i>et al.</i> (2003) Characterization of platelet and soluble-porcine P-selectin (CD62P). <u>Vet Immunol Immunopathol. 96 (3-4): 169-81.</u> Johnson, C.A. Jr. <i>et al.</i> (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. <u>Artif</u> <u>Organs. 35 (6): 602-13.</u> Krajewski, S. <i>et al.</i> (2012) Flow cytometry analysis of porcine platelets: optimized methods for best results. <u>Platelets. 23: 386-94.</u> Shankarraman, V. <i>et al.</i> (2014) Biocompatibility Assessment of the CentriMag-Novalung Adult ECMO Circuit in a Model of Acute Pulmonary Hypertension. <u>ASAIO J. 60 (4):</u> <u>429-35.</u> Tunjungputri, R.N. <i>et al.</i> (2016) Invasive pneumococcal disease leads to activation and hyperreactivity of platelets. <u>Thromb Res. 144: 123-6.</u> Chan, C.H.H. <i>et al.</i> (2017) Shear Stress-Induced Total Blood Trauma in Multiple 		

	 Species. <u>Artif Organs. 41 (10): 934-47.</u> 7. Batchinsky, A.I. <i>et al.</i> (2023) Intravenous Autologous Bone-Marrow-derived Mesenchymal Stromal Cells Delay Acute Respiratory Distress Syndrome in Swine. <u>Am J</u> <u>Respir Crit Care Med. Oct 05 [Epub ahead of print].</u> 		
Further Reading	1. Piriou-Guzylack, L. & Salmon, H. (2008) Membrane markers of the immune cells in swine: an update. <u>Vet Res. 39 (6): 54.</u>		
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.		
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2418 10040		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)	RPE		
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>			
Goat Anti Mouse IgG (STAR76)	RPE		
Rabbit Anti Mouse IgG (STAR13)	HRP		
Goat Anti Mouse IgG (STAR70)	FITC		
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,		
	<u>DyLight®650, DyLight®680, DyLight®800,</u>		
	FITC, HRP		
Rabbit Anti Mouse IgG (STAR9)	FITC		
Goat Anti Mouse IgG (STAR77)	HRP		
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP		
Recommended Negative Controls			

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@b	io-rad.com	Email: antibody_sales_uk@bic	o-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383763:210513'

Printed on 09 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint