

Datasheet: MCA2418SBV515 BATCH NUMBER 100008214

| Description: | MOUSE ANTI HUMAN CD62P:StarBright Violet 515 | | |
|---------------|----------------------------------------------|--|--|
| Specificity: | CD62P | | |
| Other names: | P-SELECTIN | | |
| Format: | StarBright Violet 515 | | |
| Product Type: | Monoclonal Antibody | | |
| Clone: | Psel.KO.2.5 | | |
| Isotype: | lgG1 | | |
| Quantity: | 100 TESTS/0.5ml | | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------|--------------------|--|
| | | Yes No | Not Determined | Suggested Dilution | |
| | Flow Cytometry | - | | Neat | |
| | Where this product has not been tested for use in a particular technique this does not | | | | |
| | necessarily exclude its use in such procedures. Suggested working dilutions are given a a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. | | | | |
| Target Species | Human | | | | |
| Species Cross | Reacts with: Pig, Sheep | | | | |
| Reactivity | N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | | |
| Product Form | Purified IgG conjugated to StarBright Violet 515 - liquid | | | | |
| Max Ex/Em | Fluorophore | Excitation Max (nm | Emission Max (nm) | | |
| | StarBright Violet 515 | 402 | 516 | | |
| Preparation | Purified IgG prepared supernatant | by affinity chromato | graphy on Protein A fror | n tissue culture | |

| Buffer Solution | Phosphate buffered saline |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20 |
| Immunogen | CD62P transfected 300.19 cells. |
| External Database Links | UniProt: <u>P16109</u> <u>Related reagents</u> Entrez Gene: <u>6403</u> SELP <u>Related reagents</u> |
| Synonyms | GMRP, GRMP |
| Fusion Partners | Spleen cells from immunised CD62P knock-out mice (strain C57/B6) were fused with cells of the NS-1 myeloma cell line. |
| Specificity | Mouse anti Human CD62P antibody, clone Psel.KO.2.5 recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein, also known as P-selectin.CD62P is expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells. |
| Flow Cytometry | Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application. |
| References | Massaguer, A. <i>et al.</i> (2003) Characterization of platelet and soluble-porcine P-selectin (CD62P). <u>Vet Immunol Immunopathol. 96 (3-4): 169-81.</u> Johnson, C.A. Jr. <i>et al.</i> (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. <u>Artif</u> <u>Organs. 35 (6): 602-13.</u> Krajewski, S. <i>et al.</i> (2012) Flow cytometry analysis of porcine platelets: optimized methods for best results. <u>Platelets. 23: 386-94.</u> Shankarraman, V. <i>et al.</i> (2014) Biocompatibility Assessment of the CentriMag-Novalung Adult ECMO Circuit in a Model of Acute Pulmonary Hypertension. <u>ASAIO J. 60 (4):</u> <u>429-35.</u> Tunjungputri, R.N. <i>et al.</i> (2016) Invasive pneumococcal disease leads to activation and hyperreactivity of platelets. <u>Thromb Res. 144: 123-6.</u> Chan, C.H.H. <i>et al.</i> (2017) Shear Stress-Induced Total Blood Trauma in Multiple Species. <u>Artif Organs. 41 (10): 934-47.</u> Batchinsky, A.I. <i>et al.</i> (2023) Intravenous Autologous Bone-Marrow-derived Mesenchymal Stromal Cells Delay Acute Respiratory Distress Syndrome in Swine. <u>Am J Respir Crit Care Med. Oct 05 [Epub ahead of print].</u> |

| Further Reading | 1. Piriou-Guzylack, L. & Salmon, H. (2008) Membrane markers of the imm swine: an update. <u>Vet Res. 39 (6): 54.</u> | une cells in |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------|
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. | |
| Guarantee | 12 months from date of despatch | |
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. an counterparts | nd foreign |
| Health And Safety Information | Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA2418SBV515 20471 | |
| Regulatory | For research purposes only | |
| Related Produc | cts | |

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 |
|---------------|----------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 |
| | Email: antibody_sales_us@bio-rac | d.com | Email: antibody_sales_uk@bio-ra | d.com | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M422696:230922'

Printed on 29 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint