

Datasheet: MCA2418SBV610

| Description: | MOUSE ANTI HUMAN CD62P:StarBright Violet 610 |
|---------------|--|
| Specificity: | CD62P |
| Other names: | P-SELECTIN |
| Format: | StarBright Violet 610 |
| Product Type: | Monoclonal Antibody |
| Clone: | Psel.KO.2.5 |
| Isotype: | lgG1 |
| Quantity: | 100 TESTS/0.5ml |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | • | | | Neat |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Human | | | |
|-----------------|--|-------------------------|------------------|----|
| Species Cross | Reacts with: Pig, She | еер | | |
| Reactivity | N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | |
| Product Form | Purified IgG conjugat | ed to StarBright Violet | 610 - liquid | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm | 1) |
| | StarBright Violet 610 | 403 | 607 | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant | | | |
| Buffer Solution | | | | |

| Preservative | 0.09% Sodium Azide (NaN ₃) |
|-------------------|--|
| Stabilisers | 1% Bovine Serum Albumin |
| | 0.1% Pluronic F68 |
| | 0.1% PEG 3350 |
| | 0.05% Tween 20 |
| | |
| Immunogen | CD62P transfected 300.19 cells. |
| External Database | |
| Links | UniProt: |
| | P16109 Related reagents |
| | Entrez Gene: |
| | 6403 SELP Related reagents |
| | |
| Synonyms | GMRP, GRMP |
| RRID | AB_2943395 |
| Fusion Partners | Spleen cells from immunised CD62P knock-out mice (strain C57/B6) were fused with cells |
| | of the NS-1 myeloma cell line. |
| Specificity | Mouse anti Human CD62P antibody, clone Psel.KO.2.5 recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein, also known as P-selectin. |
| | CD62P is expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells. |
| Flow Cytometry | Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices |
| | suggest a 5 minutes centrifugation at 6,000g prior to sample application. |
| References | 1. Massaguer, A. et al. (2003) Characterization of platelet and soluble-porcine P-selectin |
| | (CD62P). Vet Immunol Immunopathol. 96 (3-4): 169-81. |
| | 2. Johnson, C.A. Jr. et al. (2011) Platelet activation in ovines undergoing sham surgery or |
| | implant of the second generation PediaFlow pediatric ventricular assist device. Artif |
| | Organs. 35 (6): 602-13. |
| | 3. Krajewski, S. et al. (2012) Flow cytometry analysis of porcine platelets: optimized |
| | methods for best results. Platelets. 23: 386-94. |
| | 4. Shankarraman, V. et al. (2014) Biocompatibility Assessment of the CentriMag-Novalung |
| | Adult ECMO Circuit in a Model of Acute Pulmonary Hypertension. ASAIO J. 60 (4): |
| | <u>429-35.</u> |
| | 5. Tunjungputri, R.N. et al. (2016) Invasive pneumococcal disease leads to activation and |
| | hyperreactivity of platelets. <u>Thromb Res. 144: 123-6.</u> |
| | 6. Chan, C.H.H. et al. (2017) Shear Stress-Induced Total Blood Trauma in Multiple |
| | Species. <u>Artif Organs. 41 (10): 934-47.</u> |
| | 7. Batchinsky, A.I. et al. (2023) Intravenous Autologous Bone-Marrow-derived |
| | Mesenchymal Stromal Cells Delay Acute Respiratory Distress Syndrome in Swine. Am J |
| | |

Respir Crit Care Med. Oct 05 [Epub ahead of print].

| Further Reading | 1. Piriou-Guzylack, L. & Salmon, H. (2008) Membrane markers of the immune cells in swine: an update. <u>Vet Res. 39 (6): 54.</u> |
|----------------------------------|--|
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. |
| Guarantee | 12 months from date of despatch |
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts |
| Health And Safety Information | Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA2418SBV610 20471 |
| Regulatory | For research purposes only |

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421993:230822'

Printed on 17 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint