

Datasheet: MCA2419PET

Description:	MOUSE ANTI HUMAN CD62P:RPE
Specificity:	CD62P
Other names:	P-SELECTIN
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	Psel.KO.2.7
Isotype:	lgG1
Quantity:	25 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/5

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Species Cross Reactivity	N.B. Antibody reactive reactivity is derived f	rom testing within our I	oat, Cat, Sheep ions may vary between species. Cross aboratories, peer-reviewed publication ors. Please refer to references indicate
Product Form	Purified IgG conjuga	ted to R. Phycoerythrin	(RPE) - lyophilized
Reconstitution	Reconstitute with 0.2	25 ml distilled water	
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepare supernatant	d by affinity chromatog	raphy on Protein A from tissue culture

Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin 5% Sucrose		
Immunogen	P-selectin transfected 300.19 cells.		
External Database Links	UniProt: P16109 Related reagents P42201 Related reagents P98106 Related reagents		
	Entrez Gene: 6403 SELP Related reagents 281486 SELP Related reagents 25651 Selp Related reagents		
Synonyms	GMRP, GRMP		
RRID	AB_2259857		
Fusion Partners	Spleen cells from immunized CD62P knock-out mice (strain C57/B6) were fused with cells of the NS-1 myeloma cell line.		
Specificity	Mouse anti human CD62P, clone Psel.KO.2.7, recognizes human P-Selectin. CD62P is a ~140 kDa surface antigen expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.		
References	 Massaguer, A. <i>et al.</i> (2002) Reactivity of CD62P workshop mAbs with resting and activated platelets from different animal species. In: Leucocyte Typing VII. Edited by Mason, D. <i>et al.</i> Oxford University Press, pp 342-3. Johnson, C.A. Jr <i>et al.</i> (2008) Flow cytometric assays for quantifying activated ovine platelets. Artif Organs. 32 (2): 136-45. Johnson, C.A. Jr <i>et al.</i> (2011) Biocompatibility assessment of the first generation PediaFlow pediatric ventricular assist device. Artif Organs. 35 (1): 9-21. Johnson, C.A. Jr <i>et al.</i> (2011) Platelet activation after implantation of the Levitronix PediVAS in the ovine model. ASAIO J. 57 (6): 516-21. Johnson, C.A. Jr. <i>et al.</i> (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. Artif Organs. 35 (6): 602-13. Shirasuna, K. <i>et al.</i> (2012) Rapid accumulation of polymorphonuclear neutrophils in the Corpus luteum during prostaglandin F(2α)-induced luteolysis in the cow. PLoS One. 7: e29054. 		

- 7. Trichler, S.A. *et al.* (2013) Ultra-pure platelet isolation from canine whole blood. <u>BMC</u> Vet Res. 9: 144.
- 8. Shankarraman, V. *et al.* (2014) Biocompatibility Assessment of the CentriMag-Novalung Adult ECMO Circuit in a Model of Acute Pulmonary Hypertension. <u>ASAIO J. 60 (4):</u> 429-35.
- 9. Iwaszko-Simonik, A. *et al.* (2015) Expression of surface platelet receptors (CD62P and CD41/61) in horses with recurrent airway obstruction (RAO). <u>Vet Immunol Immunopathol.</u> 164 (1-2): 87-92.
- 10. Iwaszko-Simonik, A. *et al.* (2015) Expression of surface platelet receptors (CD62P and CD41/61) in horses with recurrent airway obstruction (RAO). <u>Vet Immunol Immunopathol.</u> 164 (1-2): 87-92.
- 11. Prat, N.J. *et al.* (2015) Low-Dose Heparin Anticoagulation During Extracorporeal Life Support for Acute Respiratory Distress Syndrome in Conscious Sheep. <u>Shock. 44 (6):</u> 560-8.
- 12. Acar, D.D. *et al.* (2016) Upregulation of endothelial cell adhesion molecules characterizes veins close to granulomatous infiltrates in the renal cortex of cats with feline infectious peritonitis and is indirectly triggered by feline infectious peritonitis virus-infected monocytes in vitro. J Gen Virol. 97 (10): 2633-2642.
- 13. ChanC, H.H. *et al.* (2017) Shear Stress-Induced Total Blood Trauma in Multiple Species. <u>Artif Organs. 41 (10): 934-947.</u>
- 14. Theuerkauf, K. *et al.* (2022) Activated platelets and platelet-leukocyte aggregates in the equine systemic inflammatory response syndrome. <u>J Vet Diagn Invest.</u> 10406387221077969.
- 15. Prat, N.J. *et al.* (2022) Regional blood acidification inhibits coagulation during extracorporeal carbon dioxide removal (ECCO(2) R). <u>Artif Organs. 46 (6): 1181-91.</u>

Storage

Prior to reconstitution store at +4°C.

After reconstitution store at +4°C.

DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA2419PET 20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B) North & South Tel: +1 800 265 7376 Tel: +44 (0)1865 852 700 Worldwide Europe Tel: +49 (0) 89 8090 95 21 Fax: +1 919 878 3751 America

Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.comd a Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M437782:250319'

Printed on 19 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint