

## Datasheet: MCA2420

**BATCH NUMBER 1214**

<b>Description:</b>	MOUSE ANTI HUMAN CD62P
<b>Specificity:</b>	CD62P
<b>Other names:</b>	P-SELECTIN
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	Psel.KO.2.12
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.2 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Species Cross Reactivity</b>	<p>Reacts with: Goat, Rat, Sheep</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture

supernatant

---

<b>Buffer Solution</b>	Phosphate buffered saline
------------------------	---------------------------

---

<b>Preservative Stabilisers</b>	0.09% Sodium Azide
---------------------------------	--------------------

---

<b>Carrier Free</b>	Yes
---------------------	-----

---

<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
---------------------------------------	-----------------------------

---

<b>Immunogen</b>	CD62P transfected 300.19 cells.
------------------	---------------------------------

---

<b>External Database Links</b>	<b>UniProt:</b> <a href="#">P16109</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b> <a href="#">6403</a> SELP <a href="#">Related reagents</a>
--------------------------------	---

---

<b>Synonyms</b>	GMRP, GRMP
-----------------	------------

---

<b>RRID</b>	AB_566867
-------------	-----------

---

<b>Fusion Partners</b>	Spleen cells from immunised CD62P knock-out mice (Strain C57/B6) were fused with cells of the NS-1 myeloma cell line.
------------------------	---

---

<b>Specificity</b>	<p><b>Mouse anti Human CD62P antibody, clone Psel.KO.2.12</b> recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein also known as P-selectin.</p> <p>CD62P is expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells.</p> <p>Mouse anti Human CD62P antibody, clone Psel.KO.2.12 inhibits P-selectin-dependent adhesion between HL60 cells and P-selectin transfected COS cells (<a href="#">Massaguer <i>et al.</i> 2000</a>).</p>
--------------------	--

---

<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul.
-----------------------	---

---

<b>References</b>	<ol style="list-style-type: none"><li>1. Massaguer, A. <i>et al.</i> (2000) Production and characterization of monoclonal antibodies against conserved epitopes of P-selectin (CD62P). <a href="#">Tissue Antigens. 56 (2): 117-28.</a></li><li>2. Massaguer, A. <i>et al.</i> (2003) Characterization of platelet and soluble-porcine P-selectin (CD62P). <a href="#">Vet Immunol Immunopathol. 96 (3-4): 169-81.</a></li><li>3. Massaguer, A. <i>et al.</i> (2002) Reactivity of CD62P workshop mAbs with resting and activated platelets from different animal species. In: Leucocyte Typing VII. Edited by Mason, D. <i>et al.</i> Oxford University Press, pp 342-3.</li><li>4. Major, T.C. <i>et al.</i> (2010) The attenuation of platelet and monocyte activation in a rabbit model of extracorporeal circulation by a nitric oxide releasing polymer. <a href="#">Biomaterials. 31:</a></li></ol>
-------------------	--

[2736-45.](#)

5. Johnson, C.A. Jr. *et al.* (2008) Flow cytometric assays for quantifying activated ovine platelets. [Artif Organs. 32: 136-45.](#)
6. Johnson, C.A. Jr. *et al.* (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. [Artif Organs. 35 \(6\): 602-13.](#)
7. Johnson, C.A. Jr. *et al.* (2011) Biocompatibility assessment of the first generation PediaFlow pediatric ventricular assist device. [Artif Organs. 35 \(1\): 9-21.](#)
8. Dasse, K.A. *et al.* (2007) Assessment of hydraulic performance and biocompatibility of a MagLev centrifugal pump system designed for pediatric cardiac or cardiopulmonary support. [ASAIO J. 53 \(6\): 771-7.](#)
9. Ding, J. *et al.* (2015) Quantification of Shear-Induced Platelet Activation: High Shear Stresses for Short Exposure Time. [Artif Organs. 39 \(7\): 576-83.](#)
10. Tran GT *et al.* (2010) Membrane attack complex of complement is not essential for immune mediated demyelination in experimental autoimmune neuritis. [J Neuroimmunol. 229 \(1-2\): 98-106.](#)
11. Foruzanmehr, M. *et al.* (2014) Nano-structure TiO<sub>2</sub> film coating on 316L stainless steel via sol-gel technique for blood compatibility improvement. [Nanomedicine Journal 1 \(3\): 128-36.](#)

---

<b>Storage</b>	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2420">https://www.bio-rad-antibodies.com/SDS/MCA2420</a> 10040
<b>Regulatory</b>	For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight@488</a> , <a href="#">DyLight@550</a> , <a href="#">DyLight@650</a> , <a href="#">DyLight@680</a> , <a href="#">DyLight@800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

## Recommended Negative Controls

### [MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M366878:200529'

Printed on 21 Feb 2024

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)