# Datasheet: MCA2420 BATCH NUMBER 1214

Description:	MOUSE ANTI HUMAN CD62P
Specificity:	CD62P
Other names:	P-SELECTIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	Psel.KO.2.12
Isotype:	lgG1
Quantity:	0.2 mg

# **Product Details**

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		0010.				
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry				1/50 - 1/100	
	Immunohistology - Frozen	•				
	Immunohistology - Paraffin			•		
	ELISA			•		
	Immunoprecipitation					
	Western Blotting			•		
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the antibody for use in their own					
	system using appropriate					
Target Species	Human					
Species Cross	Reacts with: Goat, Rat, S	Sheep				
Reactivity	<b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by	affinity ch	nromatogr	aphy on Protein A fror	n tissue culture	

	supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	CD62P transfected 300.19 cells.		
External Database Links	UniProt:P16109Related reagentsEntrez Gene:6403SELPRelated reagents		
Synonyms	GMRP, GRMP		
RRID	AB_566867		
Fusion Partners	Spleen cells from immunised CD62P knock-out mice (Strain C of the NS-1 myeloma cell line.	57/B6) were fused with cells	
Specificity	<ul> <li>Mouse anti Human CD62P antibody, clone Psel.KO.2.12 recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein also known as P-selectin.</li> <li>CD62P is expressed by activated platelets and endothelial cells, and plays an important</li> </ul>		
	role in adhesive processes between leucocytes and endothelia Mouse anti Human CD62P antibody, clone Psel.KO.2.12 inhib adhesion between HL60 cells and P-selectin transfected COS 2000).	its P-selectin-dependent	
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells	in 100ul.	
References	<ol> <li>Massaguer, A. <i>et al.</i> (2000) Production and characterization of monoclonal antibodies against conserved epitopes of P-selectin (CD62P). <u>Tissue Antigens. 56 (2): 117-28.</u></li> <li>Massaguer, A. <i>et al.</i> (2003) Characterization of platelet and soluble-porcine P-selectin (CD62P). <u>Vet Immunol Immunopathol. 96 (3-4): 169-81.</u></li> <li>Massaguer, A. <i>et al.</i> (2002) Reactivity of CD62P workshop mAbs with resting and activated platelets from different animal species. In: Leucocyte Typing VII. Edited by Mason, D. et al. Oxford University Press, pp 342-3.</li> <li>Major, T.C. <i>et al.</i> (2010) The attenuation of platelet and monocyte activation in a rabbit model of extracorporeal circulation by a nitric oxide releasing polymer. <u>Biomaterials. 31:</u></li> </ol>		

	<ul> <li>2736-45.</li> <li>5. Johnson, C.A. Jr. <i>et al.</i> (2008) Flow cytometric assays for quantifying activated ovine platelets. <u>Artif Organs. 32: 136-45.</u></li> <li>6. Johnson, C.A. Jr. <i>et al.</i> (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. <u>Artif Organs. 35 (6): 602-13.</u></li> <li>7. Johnson, C.A. Jr. <i>et al.</i> (2011) Biocompatibility assessment of the first generation PediaFlow pediatric ventricular assist device. <u>Artif Organs. 35 (1): 9-21.</u></li> <li>8. Dasse, K.A. <i>et al.</i> (2007) Assessment of hydraulic performance and biocompatibility of a MagLev centrifugal pump system designed for pediatric cardiac or cardiopulmonary support. <u>ASAIO J. 53 (6): 771-7.</u></li> <li>9. Ding, J. <i>et al.</i> (2015) Quantification of Shear-Induced Platelet Activation: High Shear Stresses for Short Exposure Time. <u>Artif Organs. 39 (7): 576-83.</u></li> <li>10. Tran GT <i>et al.</i> (2010) Membrane attack complex of complement is not essential for immune mediated demyelination in experimental autoimmune neuritis. <u>J Neuroimmunol.</u> 229 (1-2): 98-106.</li> <li>11. Foruzanmehr, M. <i>et al.</i> (2014) Nano-structure TiO<sub>2</sub> film coating on 316L stainless steel via sol-gel technique for blood compatibility improvement. <u>Nanomedicine Journal 1 (3):</u></li> </ul>
Storage	<u>128-36</u> . Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2420 10040
Regulatory	For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE		
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>			
Goat Anti Mouse IgG (STAR76)	RPE		
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>		
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,		
	DyLight®650, DyLight®680, DyLight®800,		
	<u>FITC, HRP</u>		
Goat Anti Mouse IgG (STAR77)	HRP		
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP		
Rabbit Anti Mouse IgG (STAR13)	HRP		

Rabbit Anti Mouse IgG (STAR9...) FITC

### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@b	bio-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366878:200529'

#### Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint