

Datasheet: MCA2420PE BATCH NUMBER 150218

Description:	MOUSE ANTI HUMAN CD62P:RPE	
Specificity:	CD62P	
Other names:	P-SELECTIN	
Format:	RPE	
Product Type:	Monoclonal Antibody	
Clone:	Psel.KO.2.12	
lsotype:	lgG1	
Quantity:	100 TESTS	

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes No	Not Determined	Suggested Dilution	
	Flow Cytometry			Neat	
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.				
Target Species	Human				
Species Cross Reactivity	Reacts with: Goat, Rat, Sheep N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - Iyophilized				
Reconstitution	Reconstitute with 1.0 ml distilled water				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	RPE 488nm laser	496	578		
Preparation	Purified IgG prepared	by affinity chromatog	raphy on Protein A fror	n tissue culture	

	supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide1% Bovine Serum Albumin5% Sucrose		
Immunogen	CD62P transfected 300.19 cells.		
External Database Links	UniProt: P16109 Related reagents Entrez Gene: 6403 SELP Related reagents		
Synonyms	GMRP, GRMP		
RRID	AB_609600		
Fusion Partners	Spleen cells from immunised CD62P knock-out mice (Strain C57/B6) were fused with cells of the NS-1 myeloma cell line.		
Specificity	Mouse anti Human CD62P antibody, clone Psel.KO.2.12 recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein also known as P-selectin.		
	CD62P is expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells.		
	Mouse anti Human CD62P antibody, clone Psel.KO.2.12 inhibits P-selectin-dependent adhesion between HL60 cells and P-selectin transfected COS cells (<u>Massaguer <i>et al.</i></u> 2000).		
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.		
References	 Massaguer, A. <i>et al.</i> (2000) Production and characterization of monoclonal antibodies against conserved epitopes of P-selectin (CD62P). <u>Tissue Antigens. 56 (2): 117-28.</u> Massaguer, A. <i>et al.</i> (2003) Characterization of platelet and soluble-porcine P-selectin (CD62P). <u>Vet Immunol Immunopathol. 96 (3-4): 169-81.</u> Massaguer, A. <i>et al.</i> (2002) Reactivity of CD62P workshop mAbs with resting and activated platelets from different animal species. In: Leucocyte Typing VII. Edited by Mason, D. et al. Oxford University Press, pp 342-3. Major, T.C. <i>et al.</i> (2010) The attenuation of platelet and monocyte activation in a rabbit model of extracorporeal circulation by a nitric oxide releasing polymer. <u>Biomaterials. 31: 2736-45.</u> Johnson, C.A. Jr. <i>et al.</i> (2008) Flow cytometric assays for quantifying activated ovine platelets. <u>Artif Organs. 32: 136-45.</u> 		

	 6. Johnson, C.A. Jr. <i>et al.</i> (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. <u>Artif</u> Organs. 35 (6): 602-13. 7. Johnson, C.A. Jr. <i>et al.</i> (2011) Biocompatibility assessment of the first generation PediaFlow pediatric ventricular assist device. <u>Artif Organs. 35 (1): 9-21.</u> 8. Dasse, K.A. <i>et al.</i> (2007) Assessment of hydraulic performance and biocompatibility of a MagLev centrifugal pump system designed for pediatric cardiac or cardiopulmonary support. <u>ASAIO J. 53 (6): 771-7.</u> 9. Ding, J. <i>et al.</i> (2015) Quantification of Shear-Induced Platelet Activation: High Shear Stresses for Short Exposure Time. <u>Artif Organs. 39 (7): 576-83.</u> 10. Tran GT <i>et al.</i> (2010) Membrane attack complex of complement is not essential for immune mediated demyelination in experimental autoimmune neuritis. <u>J Neuroimmunol.</u> 229 (1-2): 98-106. 11. Foruzanmehr, M. <i>et al.</i> (2014) Nano-structure TiO₂ film coating on 316L stainless steel via sol-gel technique for blood compatibility improvement. <u>Nanomedicine Journal 1 (3): 128-36</u>.
Storage	Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA2420PE 20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700 Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739	Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375487:210104'

Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint