

Datasheet: MCA2420PE

BATCH NUMBER INN0414

Description:	MOUSE ANTI HUMAN CD62P:RPE
Specificity:	CD62P
Other names:	P-SELECTIN
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	Psel.KO.2.12
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Human

Species Cross Reactivity

Reacts with: Goat, Rat, Sheep

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution

Reconstitute with 1.0 ml distilled water

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture

supernatant

Buffer Solution Phosphate buffered saline

Preservative 0.09% Sodium Azide
Stabilisers 1% Bovine Serum Albumin
5% Sucrose

Immunogen CD62P transfected 300.19 cells.

External Database Links

UniProt:
[P16109](#) [Related reagents](#)

Entrez Gene:
[6403](#) SELP [Related reagents](#)

Synonyms GMRP, GRMP

RRID AB_609600

Fusion Partners Spleen cells from immunised CD62P knock-out mice (Strain C57/B6) were fused with cells of the NS-1 myeloma cell line.

Specificity **Mouse anti Human CD62P antibody, clone Psel.KO.2.12** recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein also known as P-selectin.

CD62P is expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells.

Mouse anti Human CD62P antibody, clone Psel.KO.2.12 inhibits P-selectin-dependent adhesion between HL60 cells and P-selectin transfected COS cells ([Massaquer *et al.* 2000](#)).

Flow Cytometry Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.

References

1. Massaquer, A. *et al.* (2000) Production and characterization of monoclonal antibodies against conserved epitopes of P-selectin (CD62P). [Tissue Antigens. 56 \(2\): 117-28.](#)
2. Massaquer, A. *et al.* (2003) Characterization of platelet and soluble-porcine P-selectin (CD62P). [Vet Immunol Immunopathol. 96 \(3-4\): 169-81.](#)
3. Massaquer, A. *et al.* (2002) Reactivity of CD62P workshop mAbs with resting and activated platelets from different animal species. In: Leucocyte Typing VII. Edited by Mason, D. *et al.* Oxford University Press, pp 342-3.
4. Major, T.C. *et al.* (2010) The attenuation of platelet and monocyte activation in a rabbit model of extracorporeal circulation by a nitric oxide releasing polymer. [Biomaterials. 31: 2736-45.](#)
5. Johnson, C.A. Jr. *et al.* (2008) Flow cytometric assays for quantifying activated ovine platelets. [Artif Organs. 32: 136-45.](#)

6. Johnson, C.A. Jr. *et al.* (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. [Artif Organs. 35 \(6\): 602-13.](#)
7. Johnson, C.A. Jr. *et al.* (2011) Biocompatibility assessment of the first generation PediaFlow pediatric ventricular assist device. [Artif Organs. 35 \(1\): 9-21.](#)
8. Dasse, K.A. *et al.* (2007) Assessment of hydraulic performance and biocompatibility of a MagLev centrifugal pump system designed for pediatric cardiac or cardiopulmonary support. [ASAIO J. 53 \(6\): 771-7.](#)
9. Ding, J. *et al.* (2015) Quantification of Shear-Induced Platelet Activation: High Shear Stresses for Short Exposure Time. [Artif Organs. 39 \(7\): 576-83.](#)
10. Tran GT *et al.* (2010) Membrane attack complex of complement is not essential for immune mediated demyelination in experimental autoimmune neuritis. [J Neuroimmunol. 229 \(1-2\): 98-106.](#)
11. Foruzanmehr, M. *et al.* (2014) Nano-structure TiO₂ film coating on 316L stainless steel via sol-gel technique for blood compatibility improvement. [Nanomedicine Journal 1 \(3\): 128-36.](#)

Storage Prior to reconstitution store at +4°C.
 After reconstitution store at +4°C.
 DO NOT FREEZE.
 This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #20487 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2420PE>
20487

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:RPE \(MCA928PE\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M375487:210104'

Printed on 01 May 2024

