

Datasheet: MCA2420PE

Description:	MOUSE ANTI HUMAN CD62P:RPE		
Specificity:	CD62P		
Other names:	P-SELECTIN		
Format:	RPE		
Product Type:	Monoclonal Antibody		
Clone:	Psel.KO.2.12		
Isotype:	lgG1		
Quantity:	100 TESTS		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Species Cross	Reacts with: Goat,	Rat, Sheep	
Reactivity	reactivity is derived	from testing within our I	ons may vary between species. Craboratories, peer-reviewed publicators. Please refer to references indic
Product Form	Purified IgG conjug	ated to R. Phycoerythrin	(RPE) - lyophilized
Reconstitution	Reconstitute with 1	.0 ml distilled water	
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepare	ed by affinity chromatog	raphy on Protein A from tissue cultu

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin 5% Sucrose
Immunogen	CD62P transfected 300.19 cells.
External Database Links	UniProt: P16109 Related reagents Entrez Gene:
Synonyms	6403 SELP Related reagents GMRP, GRMP
RRID	AB_609600
Fusion Partners	Spleen cells from immunized CD62P knock-out mice (Strain C57/B6) were fused with cells of the NS-1 myeloma cell line.
Specificity	Mouse anti Human CD62P antibody, clone Psel.KO.2.12 recognizes the CD62P cell surface antigen, a ~140 kDa glycoprotein also known as P-selectin.
	CD62P is expressed by activated platelets and endothelial cells, and plays an important role in adhesive processes between leucocytes and endothelial cells.
	Mouse anti Human CD62P antibody, clone Psel.KO.2.12 inhibits P-selectin-dependent adhesion between HL60 cells and P-selectin transfected COS cells (<u>Massaguer et al. 2000</u>).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	 Massaguer, A. <i>et al.</i> (2002) Reactivity of CD62P workshop mAbs with resting and activated platelets from different animal species. In: Leucocyte Typing VII. Edited by Mason, D. et al. Oxford University Press, pp 342-3. Dasse, K.A. <i>et al.</i> (2007) Assessment of hydraulic performance and biocompatibility of a MagLev centrifugal pump system designed for pediatric cardiac or cardiopulmonary support. ASAIO J. 53 (6): 771-7. Johnson, C.A. Jr. <i>et al.</i> (2008) Flow cytometric assays for quantifying activated ovine platelets. Artif Organs. 32: 136-45. Tran GT <i>et al.</i> (2010) Membrane attack complex of complement is not essential for immune mediated demyelination in experimental autoimmune neuritis. J Neuroimmunol. 229 (1-2): 98-106. Major, T.C. <i>et al.</i> (2010) The attenuation of platelet and monocyte activation in a rabbit model of extracorporeal circulation by a nitric oxide releasing polymer. Biomaterials. 31: 2736-45.

- 6. Johnson, C.A. Jr. et al. (2011) Biocompatibility assessment of the first generation PediaFlow pediatric ventricular assist device. Artif Organs. 35 (1): 9-21.
- 7. Johnson, C.A. Jr. et al. (2011) Platelet activation in ovines undergoing sham surgery or implant of the second generation PediaFlow pediatric ventricular assist device. Artif Organs. 35 (6): 602-13.
- 8. Foruzanmehr, M. et al. (2014) Nano-structure TiO₂ film coating on 316L stainless steel via sol-gel technique for blood compatibility improvement. Nanomedicine Journal 1 (3):
- 9. Ding, J. et al. (2015) Quantification of Shear-Induced Platelet Activation: High Shear Stresses for Short Exposure Time. Artif Organs. 39 (7): 576-83.

Storage Prior to reconstitution store at +4°C.

After reconstitution store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA2420PE 20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419330:230616'

Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint