

Datasheet: MCA2431A647

Description:	MOUSE ANTI BOVINE CD40:Alexa Fluor® 647
Specificity:	CD40
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	IL-A156
Isotype:	IgG1
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Bovine

Species Cross Reactivity

Reacts with: Sheep

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to Alexa Fluor 647 - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665

Preparation

Purified IgG prepared by affinity chromatography on Protein G

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN₃)

1% Bovine Serum Albumin

Approx. Protein Concentrations IgG concentration 0.05 mg/ml

External Database Links

UniProt:

[Q28203](#) [Related reagents](#)

Entrez Gene:

[286849](#) CD40 [Related reagents](#)

Synonyms TNFRSF5

Fusion Partners Spleen cells from immunised BALB/c mice were fused with cells of the X63.Ag8.653 myeloma cell line

Specificity **Mouse anti Bovine CD40 antibody, clone IL-A156** recognizes the bovine Tumor necrosis factor receptor superfamily member 5, also known as CD40 or B-cell surface antigen CD40. CD40 is a 260 amino acid single pass type 1 transmembrane glycoprotein with a predicted molecular mass of 31 kDa. Bovine CD40 also has an N terminal signal peptide of 20 amino acids. Bovine CD40 is expressed by B lymphocytes and a subset of T lymphocytes.

CD40 plays an important role in the differentiation of B lymphocytes into effector cells, and is also involved in interactions between T and B lymphocytes.

Flow Cytometry Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul

References

1. Langelaar, M.F. *et al.* (2005) *Mycobacterium avium* ssp. *paratuberculosis* recombinant heat shock protein 70 interaction with different bovine antigen-presenting cells. [Scand J Immunol. 61 \(3\): 242-50.](#)
2. Epardaud, M. *et al.* (2004) Enrichment for a CD26^{hi} SIRP- subset in lymph dendritic cells from the upper aero-digestive tract. [J Leukoc Biol. 76 \(3\): 553-61.](#)
3. Glew, E.J. *et al.* (2003) Differential effects of bovine viral diarrhoea virus on monocytes and dendritic cells. [J Gen Virol. 84 \(Pt 7\): 1771-80.](#)
4. Norimatsu, M. *et al.* (2003) Differential response of bovine monocyte-derived macrophages and dendritic cells to infection with *Salmonella typhimurium* in a low-dose model *in vitro*. [Immunology 108: 55- 61.](#)
5. Haas, K.M. *et al.* (2001) Enhancing effects of anti-CD40 treatment on the immune response of SCID-bovine mice to *Trypanosoma congolense* infection. [J Leukoc Biol. 70: 931-40.](#)
6. Totté, P. *et al.* (2015) Free exopolysaccharide from *Mycoplasma mycoides* subsp. *mycoides* possesses anti-inflammatory properties. [Vet Res. 46 \(1\): 122.](#)
7. Corripio-Miyar, Y. *et al.* (2015) Phenotypic and functional analysis of monocyte populations in cattle peripheral blood identifies a subset with high endocytic and allogeneic T-cell stimulatory capacity. [Vet Res. 46: 112.](#)
8. Marzo, S. *et al.* (2021) Characterisation of dendritic cell frequency and phenotype in

bovine afferent lymph reveals kinetic changes in costimulatory molecule expression [Vet Immunol Immunopathol. 19 Nov: 110363.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at: 10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA928A647\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M387719:210713'

Printed on 24 Nov 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)