

## Datasheet: MCA2440GA

### BATCH NUMBER 1806

<b>Description:</b>	MOUSE ANTI BOVINE IgG1
<b>Specificity:</b>	IgG1
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	IL-A60
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			1/500 - 1/150K
Immunoprecipitation	▪			
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Bovine
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes

<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Purified bovine Immunoglobulin.
<b>Fusion Partners</b>	Spleen cells from immunised BALB/c mice were fused with cells of the X63.Ag.653 myeloma cell line.
<b>Specificity</b>	<b>Mouse anti Bovine IgG1 antibody, clone IL-A60</b> recognizes bovine IgG1. Mouse anti Bovine IgG1 antibody, clone IL-A60 immunoprecipitates a protein band of 55-59 kDa, consistent with the heavy chain of bovine IgG1 ( <a href="#">Campbell et al. 1998</a> ).
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul
<b>References</b>	<ol style="list-style-type: none"> <li>Campbell, J.D. <i>et al.</i> (1998) A novel cell surface proliferation-associated marker expressed on T cells and up-regulated on germinal center B cells. <a href="#">J Leukoc Biol. 63 (5): 567-74.</a></li> <li>Williams, D.J. <i>et al.</i> (1990) Quantitation of bovine immunoglobulin isotypes and allotypes using monoclonal antibodies. <a href="#">Vet Immunol Immunopathol. 24 (3): 267-83.</a></li> <li>Williams, D.J. <i>et al.</i> (1996) The role of anti-variable surface glycoprotein antibody responses in bovine trypanotolerance. <a href="#">Parasite Immunol. 18 (4): 209-18.</a></li> <li>Hecker YP <i>et al.</i> (2014) A <i>Neospora caninum</i> vaccine using recombinant proteins fails to prevent foetal infection in pregnant cattle after experimental intravenous challenge. <a href="#">Vet Immunol Immunopathol. 162 (3-4): 142-53.</a></li> <li>Dorneles, E.M. <i>et al.</i> (2015) Immune Response of Calves Vaccinated with <i>Brucella abortus</i> S19 or RB51 and Revaccinated with RB51. <a href="#">PLoS One. 10 (9): e0136696.</a></li> <li>Hecker, Y.P. <i>et al.</i> (2019) Immune response to <i>Neospora caninum</i> live tachyzoites in prepubertal female calves. <a href="#">Parasitol Res. 118 (10): 2945-55.</a></li> </ol>
<b>Storage</b>	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2440GA">https://www.bio-rad-antibodies.com/SDS/MCA2440GA</a> 10040
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>

Goat Anti Mouse IgG (STAR70...) [FITC](#)  
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)  
Goat Anti Mouse IgG (STAR76...) [RPE](#)  
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),  
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),  
[FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)  
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

## Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

## Recommended Useful Reagents

[MOUSE ANTI BOVINE IgG1:HRP \(MCA2440P\)](#)  
[MOUSE ANTI BOVINE IgG2 \(MCA2441GA\)](#)  
[MOUSE ANTI BOVINE IgG2:HRP \(MCA2441P\)](#)  
[MOUSE ANTI BOVINE IgM \(MCA2443GA\)](#)  
[MOUSE ANTI BOVINE IgA \(MCA2438GA\)](#)  
[MOUSE ANTI BOVINE IgA:HRP \(MCA2438P\)](#)  
[MOUSE ANTI BOVINE IgG \(MCA2439GA\)](#)  
[MOUSE ANTI BOVINE IgG:HRP \(MCA2439P\)](#)  
[PURIFIED BOVINE IgG1 \(PBP003\)](#)  
[MOUSE ANTI SHEEP IgE \(MCA5941GA\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M366912:200529'

Printed on 25 Mar 2023

---

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)