

Datasheet: MCA2445A647

Description:	MOUSE ANTI BOVINE MHC CLASS II MONOMORPHIC:Alexa Fluor® 647
Specificity:	MHC CLASS II MONOMORPHIC
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	IL-A21
Isotype:	IgG2a
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Bovine		
Product Form	Purified IgG conjugated to Alexa Fluor 647 - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide (NaN ₃)		
Stabilisers	1% Bovine Serum Albumin		
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml		
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the X63.Ag8.653		

myeloma cell line.

Specificity

Mouse anti Bovine MHC Class II Monomorphic antibody, clone IL-A21 recognizes a monomorphic epitope within the bovine MHC II cell surface antigen. Clone IL-A21 is reported to react with an epitope which is common to both BoLA DR and DQ ([Howard et al. 1997](#)).

Expression of MHC II molecules have been demonstrated on bovine B cells, activated T cells, alveolar macrophages, monocytes and mammary and bronchial epithelial cells.

Clone IL-A21 is reported to inhibit T cell proliferation following FMDV infection ([Collen et al. 1991](#)).

Flow Cytometry

Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.

References

1. Collen, T. *et al.* (1991) A T cell epitope in VP1 of foot-and-mouth disease virus is immunodominant for vaccinated cattle. [J Immunol. 146 \(2\): 749-55.](#)
2. Davies, C.J. *et al.* (1992) Characterization of bovine MHC class II polymorphism using three typing methods: serology, RFLP and IEF. [Eur J Immunogenet. 19 \(5\): 253-62.](#)
3. Demartini, J.C. *et al.* (1993) Differential *in vitro* and *in vivo* expression of MHC class II antigens in bovine lymphocytes infected by *Theileria parva*. [Vet Immunol Immunopathol. 35 \(3-4\): 253-73.](#)
4. Howard, C.J. *et al.* (1997) Identification of two distinct populations of dendritic cells in afferent lymph that vary in their ability to stimulate T cells. [J Immunol. 159 \(11\): 5372-82.](#)
5. Daubenberger, C. *et al.* (1999) Bovine gammadelta T-cell responses to the intracellular protozoan parasite *Theileria parva* [Infect Immun. 67:2241-9.](#)
6. Ballingall, K. *et al.* (2001) Transcription of the unique ruminant class II major histocompatibility complex-DYA and DIB genes in dendritic cells. [Eur J Immunol. 31 \(1\): 82-6.](#)
7. Sathiyaseelan, T. *et al.* (2002) Immunological characterization of a gammadelta T-cell stimulatory ligand on autologous monocytes. [Immunology. 105:181-9](#)
8. Constantinoiu, C.C. *et al.* (2010) Local immune response against larvae of *Rhipicephalus (Boophilus) microplus* in *Bos taurus indicus* and *Bos taurus taurus* cattle. [Int J Parasitol. 40: 865-75.](#)
9. Dorneles, E.M. *et al.* (2015) Immune Response of Calves Vaccinated with *Brucella abortus* S19 or RB51 and Revaccinated with RB51. [PLoS One. 10 \(9\): e0136696.](#)
10. Sei, J.J. *et al.* (2016) Effect of Foot-and-Mouth Disease Virus Infection on the Frequency, Phenotype and Function of Circulating Dendritic Cells in Cattle. [PLoS One. 11 \(3\): e0152192.](#)
11. Choi, K.S. (2017) The effect of bovine viral diarrhea virus on bovine monocyte phenotype. [Iran J Vet Res. 18 \(1\): 13-17.](#)
12. Pérez-caballero, R. *et al.* (2018) Comparative dynamics of peritoneal cell immunophenotypes in sheep during the early and late stages of the infection with *Fasciola hepatica* by flow cytometric analysis. [Parasit Vectors. 11 \(1\): 640.](#)
13. Imrie, H. & Williams, D.J.L. (2019) Stimulation of bovine monocyte-derived macrophages with lipopolysaccharide, interferon- γ , Interleukin-4 or Interleukin-13 does not induce detectable changes in nitric oxide or arginase activity. [BMC Vet Res. 15 \(1\): 45.](#)
14. Brodzki, P. *et al.* (2020) Selected leukocyte subpopulations in peripheral blood and

uterine washings in cows before and after intrauterine administration of cefapirin and methisoprinol. [Anim Sci J. 91 \(1\): e13306.](#)

15. Casaro, S. *et al.* (2022) Flow cytometry panels for immunophenotyping dairy cattle peripheral blood leukocytes [Vet Immunol Immunopathol. 248: 110417.](#)

16. Marzo, S. *et al.* (2022) Characterisation of dendritic cell frequency and phenotype in bovine afferent lymph reveals kinetic changes in costimulatory molecule expression [Vet Immunol Immunopathol. 243: 110363.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2445A647>
10041

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA929A647\)](#)

North & South America Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M405470:220916'

Printed on 18 Jan 2024