

Datasheet: MCA2460

BATCH NUMBER 164444

| | |
|----------------------|--|
| Description: | MOUSE ANTI SHEEP CD230 (aa151 - aa159) |
| Specificity: | CD230 (aa151 - aa159) |
| Other names: | PRION PROTEIN |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | 2G11 |
| Isotype: | IgG2a |
| Quantity: | 0.25 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|--------------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | | | ▪ | |
| Immunohistology - Frozen | | | ▪ | |
| Immunohistology - Paraffin (1) | ▪ | | | |
| ELISA | ▪ | | | 1/50 - 1/1000 |
| Immunoprecipitation | | | ▪ | |
| Western Blotting | | | ▪ | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) Treatment of tissue sections in 98% formic acid, for 30 minutes, is recommended prior to pre-treatment with trypsin at 37°C for 5 minutes followed by heat mediated retrieval with 10mM citrate buffer pH6.0 See [Andreoletti 2000](#).

| | |
|-----------------------|---|
| Target Species | Sheep |
| Product Form | Purified IgG - liquid |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant |

| | |
|---------------------------------------|---|
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide |
| Carrier Free | Yes |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
| Immunogen | Synthetic peptide 146-R ¹⁵⁴ R ¹⁷¹ -182 of ovine PrP. |
| External Database Links | <p>UniProt: P23907 Related reagents</p> <p>Entrez Gene: 493887 PRNP Related reagents</p> |
| Synonyms | PRP, SIP |
| RRID | AB_808711 |
| Specificity | <p>Mouse anti Sheep CD230 (aa151 - aa159) antibody, clone 2G11 recognizes CD230 and can be used to detect the plaques which are formed during the progression of prion disease. Transmissible spongiform encephalopathies (TSEs) or prion diseases are fatal infectious neurodegenerative diseases of humans and animals. These diseases are biologically unique, as they are believed by some to be transmitted by an infectious agent comprised only of protein, with no nucleic acid component. Clinically, these diseases present with motor disturbances and behavioural changes. The major pathological changes seen are neuronal loss, vacuolation (spongiform change), proliferation and branching of glial cells, astrocytic proliferation and accumulation of the prion protein PrP^{Sc}, which can form amyloid plaques.</p> <p>CD230, also known as the prion protein (PrP) exists in two alternate forms; a normal cellular form (PrP^C) and a disease-associated form (PrP^{Sc}). The normal and pathological forms of the prion protein have identical amino acid sequences and differ only in their folded tertiary structure and biochemical properties.</p> <p>MCA2460 was raised against a synthetic peptide (146-R¹⁵⁴R¹⁷¹-182) of the ovine PrP peptide and specifically recognises the R¹⁵¹-R¹⁵⁹ sequence.</p> |
| ELISA | Tested on peptide. |
| References | <ol style="list-style-type: none"> Andréoletti, O. <i>et al.</i> (2000) Early accumulation of PrP(Sc) in gut-associated lymphoid and nervous tissues of susceptible sheep from a Romanov flock with natural scrapie. J Gen Virol. 81 (Pt 12): 3115-26. Andréoletti, O. <i>et al.</i> (2002) Phenotyping of protein-prion (PrPsc)-accumulating cells in lymphoid and neural tissues of naturally scrapie-affected sheep by double-labeling |

- immunohistochemistry. [J Histochem Cytochem. 50 \(10\): 1357-70.](#)
3. Borner, R. *et al.* (2011) Early behavioral changes and quantitative analysis of neuropathological features in murine prion disease: stereological analysis in the albino Swiss mice model. [Prion. 5 \(3\): 215-27.](#)
4. Ortiz-Pelaez, A. *et al.* (2015) Allelic variants at codon 146 in the PRNP gene show significant differences in the risk for natural scrapie in Cypriot goats. [Epidemiol Infect. 143 \(6\): 1304-10.](#)
5. Simmons, M.M. *et al.* (2015) Phenotype shift from atypical scrapie to CH1641 following experimental transmission in sheep. [PLoS One. 10 \(2\): e0117063.](#)

| | |
|--------------------------------------|---|
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. |
| | Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2460 10040 |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

| | |
|---|---|
| Goat Anti Mouse IgG (STAR77...) | HRP |
| Rabbit Anti Mouse IgG (STAR12...) | RPE |
| Goat Anti Mouse IgG IgA IgM (STAR87...) | Alk. Phos. , HRP |
| Goat Anti Mouse IgG (STAR76...) | RPE |
| Rabbit Anti Mouse IgG (STAR13...) | HRP |
| Goat Anti Mouse IgG (STAR70...) | FITC |
| Goat Anti Mouse IgG (H/L) (STAR117...) | Alk. Phos. , DyLight@488 , DyLight@550 , DyLight@650 , DyLight@680 , DyLight@800 , FITC , HRP |
| Rabbit Anti Mouse IgG (STAR9...) | FITC |
| Goat Anti Mouse IgG (Fc) (STAR120...) | FITC , HRP |

| | | | | | |
|----------------------------------|---|------------------|---|---------------|---|
| North & South America | Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com | Worldwide | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com | Europe | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com |
|----------------------------------|---|------------------|---|---------------|---|

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M421892:230807'

Printed on 19 Jan 2024

