

Datasheet: MCA2461

BATCH NUMBER 163600

Description:	RAT ANTI MOUSE CD51
Specificity:	CD51
Other names:	INTEGRIN ALPHA V
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RMV-7
Isotype:	IgG1
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/100
Immunohistology - Frozen	▪			1/25 - 1/100
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Cultured LAK cells from Balb/c mice.
External Database Links	<p>UniProt: P43406 Related reagents</p> <p>Entrez Gene: 16410 Itgav Related reagents</p>
RRID	AB_931725
Fusion Partners	Spleen cells from immunised SD rats were fused with the cells of the P3X.63Ag8.653 myeloma cell line.
Specificity	<p>Rat anti Mouse CD51 antibody, clone RMV-7 recognizes murine CD51, a ~140 kDa alpha subunit of the vitronectin receptor, which is otherwise known as the integrin alpha v chain. CD51 can form heterodimers at the cell surface with a variety of beta integrins including CD29 and CD61.</p> <p>Heterodimers of CD51/CD61 function as a receptor for vitronectin, and a wide array of RGD-containing proteins including fibronectin, fibrinogen, von Willebrand factor, laminin, thrombospondin and osteopontin. CD51/CD61 is primarily expressed on myeloid cells and activated T-cells. Alpha-V integrins may play a role in embryo implantation, angiogenesis and wound healing.</p> <p>Rat anti Mouse CD51 antibody, clone RMV-7 has been reported to block binding of CD51 to vitronectin, fibronectin, and CD31 in some cell types, as well as blocking LAK cell cytotoxicity (Takahashi <i>et al.</i> 1990).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> 1. Takahashi, K. <i>et al.</i> (1990) A murine very late activation antigen-like extracellular matrix receptor involved in CD2- and lymphocyte function-associated antigen-1-independent killer-target cell interaction. J Immunol. 145 (12): 4371-9. 2. Piali, L. <i>et al.</i> (1995) CD31/PECAM-1 is a ligand for alpha v beta 3 integrin involved in adhesion of leukocytes to endothelium. J Cell Biol. 130 (2): 451-60. 3. Cui R <i>et al.</i> (2007) Abrogation of the interaction between osteopontin and alphavbeta3 integrin reduces tumor growth of human lung cancer cells in mice. Lung Cancer. 57 (3): 302-10. 4. Takahashi F <i>et al.</i> (2001) Role of osteopontin in the pathogenesis of bleomycin-induced pulmonary fibrosis. Am J Respir Cell Mol Biol. 24 (3): 264-71.
Further Reading	1. Henderson, N.C. <i>et al.</i> (2013) Targeting of α v integrin identifies a core molecular

pathway that regulates fibrosis in several organs. [Nat Med. 19 \(12\): 1617-24.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2461>
10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR16...)	DyLight®800
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight®650 , DyLight®800
Goat Anti Rat IgG (STAR72...)	HRP
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR131...)	Alk. Phos. , Biotin

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M383928:210513'

Printed on 25 Mar 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)