

Datasheet: MCA2464GA

BATCH NUMBER 150126

Description:	RAT ANTI MOUSE CD279
Specificity:	CD279
Other names:	PD-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RMP1-30
Isotype:	lgG2b
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/100 - 1/200
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	From tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1 mg/ml
Immunogen	PD-1 transferred BHK cells.
External Database Links	UniProt: Q02242 Related reagents Entrez Gene: 18566 Pdcd1 Related reagents
Synonyms	Pd1
RRID	AB_961507
Fusion Partners	Spleen cells from immunised Sprague Dawley rats were fused with cells of the P3U1 myeloma cell line.
Specificity	Rat anti Mouse CD279 antibody, clone RMP1-30 recognizes mouse CD279, a ~55 kDa cell surface protein, a member of the CD28/CTLA-4 family, otherwise known as Programmed Death-1 (PD-1). CD279 is expressed predominantly on activated T- and B-lymphocytes and on a subset of thymocytes. Studies suggest that CD279, an immunoinhibitory receptor, plays a critical role in peripheral tolerance induction and prevention of autoimmune disease. Two members of the B7 family, B7-H1 (PD-L1) and B7-DC (PD-L2), have been identified as the ligands for CD279. Rat anti Mouse CD279 antibody, clone RMP1-30 does not block the binding of either B7-H1-Ig or B7-DC-Ig fusion proteins to PD-1 transfected BHK cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	 Matsumoto, K. <i>et al.</i> (2004) B7-DC regulates asthmatic response by an IFN-gamma-dependent mechanism. <u>J Immunol. 172 (4): 2530-41.</u> Bartkowiak, T. (2013) Novel Imaging-Based Techniques Reveal a Role for PD-1/PD-L1 in Tumor Immune Surveillance in the Lung. <u>UT GSBS Dissertations and Theses (Open Access). Paper 354.</u> Hu, Z. <i>et al.</i> (2013) Regulatory CD8+ T cells associated with erosion of immune surveillance in persistent virus infection suppress <i>in vitro</i> and have a reversible proliferative defect. <u>J Immunol. 191 (1): 312-22.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2464GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...) FITC

Goat Anti Rat IgG (STAR73...) RPE

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR21...) HRP

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>
Goat Anti Rat IgG (STAR131...) <u>Alk. Phos., Biotin</u>

Rabbit Anti Rat IgG (STAR17...) <u>FITC</u>
Goat Anti Rat IgG (STAR72...) <u>HRP</u>

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366984:200529'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint