

## Datasheet: MCA2468F

Description:	RAT ANTI HUMAN CMKLR1:FITC			
Specificity:	CMKLR1			
Other names:	CHEMOKINE-LIKE RECEPTOR 1			
Format:	FITC			
Product Type:	Monoclonal Antibody			
Clone:	BZ332			
lsotype:	lgG2a			
Quantity:	0.1 mg			

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-			Neat - 1/10			
	Where this antibody han necessarily exclude its a guide only. It is recor system using appropria	use in such p nmended that	rocedure the use	es. Suggested workin r titrates the antibody	ng dilutions are given as			
Target Species	Human							
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid							
Max Ex/Em	Fluorophore	Excitation Ma	x (nm)	Emission Max (nm)				
	FITC	490		525				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide	<b>.</b>						
	1% Bovine Serum Albumin							
Approx. Protein Concentrations	IgG concentration 0.1 r	mg/ml						

Immunogen Peptide corresponding to an epitope within the N-terminal region of human CMKLR1.

External Database Links	UniProt:				
LIIKS	Q99788 Related reagents				
	Entrez Gene:				
	1240 CMKLR1 Related reagents				
Synonyms	CHEMR23, DEZ				
RRID	AB_844518				
Specificity	<b>Rat anti Human CMKLR1 antibody, clone BZ332</b> recognizes human serpentine chemokine-like receptor 1 (CMKLR1), a novel chemoattractant receptor, which is also referred to Chem23 or DEZ. CMKLR1 is expressed on plasmacytoid dendritic cells (pDC) in blood but is not expressed on myeloid dendritic cells, lymphocytes, monocytes or granulocytes. Studies show that CMKLR1 is also expressed on dendritic cells, which have been generated <i>in vitro</i> from monocytes.				
	The sole ligand for CMKLR1 is chemerin, a chemoattractant that exists at the mRNA level in a wide range of tissues, and as an inactive proform in serum and plasma. Studies suggest that chemerin, in plasma, is converted into a potent pDC attractant following blood coagulation and may be a process by which pDC's are recruited to sites of bleeding and tissue damage.				
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.				
References	<ol> <li>Zabel, B.A. <i>et al.</i> (2005) Chemokine-like receptor 1 expression and chemerin-directed chemotaxis distinguish plasmacytoid from myeloid dendritic cells in human blood. J Immunol. 174 (1): 244-51.</li> <li>Maheshwari, A. <i>et al.</i> (2009) Epithelial cells in fetal intestine produce chemerin to recruit macrophages. Am J Physiol Gastrointest Liver Physiol. 297: G1-G10.</li> <li>ChanY, L.T. <i>et al.</i> (2018) NK cells produce high levels of IL-10 early after allogeneic stem cell transplantation and suppress development of acute GVHD. Eur J Immunol. 48 (2): 316-29.</li> <li>Li, L. <i>et al.</i> (2014) Chemerin-derived peptide C-20 suppressed gonadal steroidogenesis. Am J Reprod Immunol. 71 (3): 265-77.</li> </ol>				
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	18 months from date of despatch.				

Health A Informati		rial Safety Datasl 1: <u>https://www.bio</u>							
Regulato	<b>ry</b> For re	For research purposes only							
Relate	d Products								
Recomm	nended Negative	Controls							
RAT IgG2	NEGATIVE CONTR	OL:FITC (MCA600	9 <u>5F)</u>						
Recomm	nended Useful R	eagents							
	EROBLOCK (BUF07) EROBLOCK (BUF07)	<u>`</u>							
	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21				
America	Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com		Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com		Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com				
From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M353908:190605'									

## Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint