

Datasheet: MCA2476GA

### **BATCH NUMBER 149332**

Description:	HAMSTER ANTI HUMAN EMR3
Specificity:	EMR3
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	3D7
Isotype:	lgG
Quantity:	0.1 mg

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/50 - 1/200
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein C supernatant	G from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	
Carrier Free	Yes	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	ARHO-EMR3-CD97 (EGF1) transfectants.
External Database Links	UniProt:  Q9BY15 Related reagents  Entrez Gene:  84658 EMR3 Related reagents
RRID	AB_872003
Fusion Partners	Spleen cells from immunised Armenian hamster were fused with cells of the mouse SP2/0 myeloma cell line.
Specificity	Hamster anti Human EMR3 antibody, clone 3D7 recognizes human epidermal growth factor (EGF) module-containing mucin-like hormone receptor 3 (EMR3), a ~56 kDa member of the EGF-7 transmembrane (TM7) family of adhesion receptors. EMR3 is expressed at the cell surface as a heterodimer.
	The molecule is predominantly expressed on granulocytes, and at lower levels on mature myeloid cells, monocytes and dendritic cells. EMR3 is absent on lymphocytes, haematopoietic stem cells and myeloid progenitors. Studies suggest that the EMR3 molecule is up-regulated during late stages of neutrophil differentiation and is a marker for terminally differentiated cells.
	The exact functions of EMR3 and its ligands have not yet been determined.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Matmati, M. et al. (2007) The human EGF-TM7 receptor EMR3 is a marker for mature granulocytes. <u>J Leukoc Biol. 81 (2): 440-8.</u></li> <li>Drewniak, A. etal. (2009) Changes in gene expression of granulocytes during <i>in vivo</i> granulocyte colony-stimulating factor/dexamethasone mobilization for transfusion purposes. <u>Blood. 113: 5979-98.</u></li> <li>van de Geer, A. et al. (2017) Characterization of buffy coat-derived granulocytes for clinical use: a comparison with granulocyte colony-stimulating factor/dexamethasone-pretreated donor-derived products. <u>Vox Sang. Jan 25. [Epub ahead of print]</u></li> </ol>
Further Reading	1. Carpenter, G. & Cohen, S. (1990) Epidermal growth factor. <u>J Biol Chem. 265 (14):</u> 7709-12.
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2476GA">https://www.bio-rad-antibodies.com/SDS/MCA2476GA</a> 10040
Regulatory	For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Hamster IgG (STAR104...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>,

**FITC** 

Goat Anti Hamster IgG (STAR79...) Biotin, FITC, HRP

## **Recommended Negative Controls**

HAMSTER (ARMENIAN) IgG NEGATIVE CONTROL (MCA2356)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367012:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint