

Datasheet: MCA2481

Description:	MOUSE ANTI DUCK IgY HEAVY CHAIN
Specificity:	IgY HEAVY CHAIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	16C7
Isotype:	IgG1
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting	▪			non-reducing

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Duck

Species Cross Reactivity

Reacts with: Goose
Does not react with: Chicken

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Preparation

Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 0.5mg/ml
Immunogen	Purified Pekin duck yolk IgY.
RRID	AB_609819
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the SP2/0 mouse myeloma cell line.
Specificity	<p>Mouse anti Duck IgY antibody, clone 16C7 recognises both the IgY and IgY(-Fc) Pekin duck heavy chain molecules.</p> <p>The duck IgY molecule, consisting of two heavy (H) and two light (L) chains, has been categorized as the 7.8S full-length IgY form and the 5.7S truncated IgY(-Fc) form. The IgY(-Fc) molecule possesses the H chain Cu1 and Cu2 constant domains, but is lacking the Cu3 and Cu4 constant region terminal domains, all four of which are present in the full-length IgY molecule. Thus the structure of the IgY(-Fc) molecule resembles that of a F(ab')₂ fragment of IgY.</p> <p>Mouse anti Duck IgY antibody, clone 16C7 also detects IgY heavy chain in Mallard ducks, goose and swan.</p> <p>Mouse anti Duck IgY antibody, clone 16C7 detects bands of approximately 118 kDa and 178-200 kDa in Pekin duck cell lysates under non-reducing conditions in Western blotting.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
Further Reading	<ol style="list-style-type: none"> 1. Magor, K.E. <i>et al.</i> (1994) One gene encodes the heavy chains for three different forms of IgY in the duck. J Immunol. 153 (12): 5549-55. 2. Higgins, D.A. & Warr, G.W. (1993) Duck immunoglobulins: structure, functions and molecular genetics. Avian Pathol. 22 (2): 211-36.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Goat Anti Mouse IgG (H/L) (STAR117...) [FITC](#), [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M389432:210806'

Printed on 29 Aug 2021