

Datasheet: MCA2484A647

Description:	MOUSE ANTI HUMAN CD282:Alexa Fluor® 647
Specificity:	CD282
Other names:	TLR2
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	11G7
Isotype:	lgG1
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human				
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	Alexa Fluor®647	650	665		
Preparation	Purified IgG prepared supernatant	by affinity chromatog	raphy on Protein G		
Buffer Solution	Phosphate buffered saline				
Preservative	0.09% Sodium Azide (NaN ₃)				
Stabilisers	1% Bovine Serum	Albumin			
Approx. Protein Concentrations	IgG concentration 0.0	5mg/ml			

External Database Links Synonyms RRID

UniProt:

O60603 Related reagents

Entrez Gene:

7097 TLR2 Related reagents

TIL4

AB_1101735

Specificity

Mouse anti Human CD282 antibody, clone 11G7 recognizes the human Toll-like receptor 2 (TLR2), a ~90 kDa type 1 transmembrane protein that is primarily expressed by peripheral blood monocytes. TLR2, also known as CD282, is reported to respond to a diverse range of bacterial cell wall components, mediating the innate immune response in co-operation with MD-2.

Mouse anti Human CD282 antibody, clone 11G7 has been reported to block IL-6 cytokine production in response to ara-lipoarabinomannan (araLAM) and tripalmitoyl cysteinyl lipopeptide (Pam3CSK4) (<u>Sandor et al. 2003</u>). Clone 11G7 does not inhibit the production of cytokines induced by zymosan stimulation.

Flow Cytometry

Use 10ul of the suggested working dilution to label $1x10^6$ cells in 100ul.

References

- 1. Sandor, F. *et al.* (2003) Importance of extra- and intracellular domains of TLR1 and TLR2 in NFkappa B signaling. J Cell Biol. 162 (6): 1099-110.
- 2. Royer, P.J. *et al.* (2010) The mannose receptor mediates the uptake of diverse native allergens by dendritic cells and determines allergen-induced T cell polarization through modulation of IDO activity. J Immunol. 185 (3): 1522-31.
- 3. Chen, E.S. *et al.* (2010) Serum amyloid A regulates granulomatous inflammation in sarcoidosis through Toll-like receptor-2. <u>Am J Respir Crit Care Med. 181 (4): 360-73.</u>
- 4. Royer, P.J. *et al.* (2010) The mannose receptor mediates the uptake of diverse native allergens by dendritic cells and determines allergen-induced T cell polarization through modulation of IDO activity. J Immunol. 185 (3): 1522-31.
- 5. Zhou, S. *et al.* (2010) Discovery of a novel TLR2 signaling inhibitor with anti-viral activity. Antiviral Res. 87 (3): 295-306.
- 6. Nguyen, D.N. *et al.* (2016) Oral antibiotics increase blood neutrophil maturation and reduce bacteremia and necrotizing enterocolitis in the immediate postnatal period of preterm pigs. <u>Innate Immun. 22 (1): 51-62.</u>

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee 12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:

 $\underline{\text{https://www.bio-rad-antibodies.com/SDS/MCA2484A647}}$

10041

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 647 (MCA928A647)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385793:210513'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint