

Datasheet: MCA2495AMO

| | |
|----------------------|---------------------------------------|
| Description: | MOUSE ANTI HUMAN CD19:Amethyst Orange |
| Specificity: | CD19 |
| Format: | Amethyst Orange |
| Product Type: | Monoclonal Antibody |
| Clone: | Bu12 |
| Isotype: | IgG1 |
| Quantity: | 0.1 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | Neat |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| | | | |
|---------------------------------------|---|----------------------------|--------------------------|
| Target Species | Human | | |
| Product Form | Purified IgG conjugated to Amethyst Orange - liquid | | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm) |
| | Amethyst Orange | 405 | 540 |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant | | |
| Buffer Solution | Phosphate buffered saline | | |
| Preservative | 0.09% Sodium Azide (NaN ₃) | | |
| Stabilisers | 1% Bovine Serum Albumin | | |
| Approx. Protein Concentrations | IgG concentration 0.1 mg/ml | | |
| Immunogen | Human EB-4 Burkitt lymphoma cell line | | |

| | |
|--------------------------------------|---|
| External Database Links | UniProt: P15391 Related reagents Entrez Gene: 930 CD19 Related reagents |
| Fusion Partners | Spleen cells from immunized mice were fused with cells from the X63 AG8 653 plasmacytoma |
| Specificity | Mouse anti Human CD19 antibody, clone Bu12 recognizes human CD19, a 95 kDa cell surface glycoprotein, which is expressed on cells of the B cell lineage and follicular dendritic cells but absent on plasma cells. CD19 is an important signal transduction molecule which is involved in the regulation of B lymphocyte development, activation and differentiation. |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul |
| References | <ol style="list-style-type: none"> Zhou, L. and Tedder, T. (1993) CD19 Workshop panel report. In leucocyte Typing V. White cell differentiation antigens. Oxford University press. p507 – 509. Smith SH <i>et al.</i> (1991) Activation of human B cells through the CD19 surface antigen results in homotypic adhesion by LFA-1-dependent and -independent mechanisms. Immunology. 73 (3): 293-7. Callard, R.E. <i>et al.</i> (1992) CD19 regulation of human B cell responses. B cell proliferation and antibody secretion are inhibited or enhanced by ligation of the CD19 surface glycoprotein depending on the stimulating signal used. J Immunol. 148 (10): 2983-7. Callard, R.E. <i>et al.</i> (1995) CD40 cross-linking inhibits specific antibody production by human B cells. Int Immunol. 7 (11): 1809-15. Flavell, D.J. <i>et al.</i> (1995) Preclinical studies with the anti-CD19-saporin immunotoxin BU12-SAPORIN for the treatment of human-B-cell tumours. Br J Cancer. 72 (6): 1373-9. Vallera, D. A. <i>et al.</i> (2004) Radiotherapy of CD19 expressing Daudi tumors in nude mice with Yttrium-90-labeled anti-CD19 antibody. Cancer Biother Radiopharm. 19 (1): 11-23. |
| Storage | <p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.</p> |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10041 available at: 10041: https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf |

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Amethyst Orange \(MCA928AMO\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M385888:210513'

Printed on 20 Sep 2021
