

Datasheet: MCA2516A647T

#### **BATCH NUMBER 153389**

Description:	MOUSE ANTI HUMAN CD87:Alexa Fluor® 647
Specificity:	CD87
Other names:	UPAR, UPA-R
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	VIM-5
Isotype:	lgG1
Quantity:	25 TESTS/0.25ml

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Product Form	Purified IgG conjuga	ated to Alexa Fluor® 64	7 - liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm
	Alexa Fluor®647	650	665
Preparation	Purified IgG prepare supernatant	ed by affinity chromatog	raphy on Protein G
Buffer Solution	Phosphate buffered	saline	
Preservative	0.09% Sodium Azid	le (NaN <sub>3</sub> )	
Stabilisers	1% Bovine Seru	m Albumin	
Approx. Protein	IgG concentration 0	0.05mg/ml	

Concentrations				
Immunogen	THP-1 cells (Human acute monocytic leukaemia cells).			
External Database Links	UniProt:			
	Q03405 Related reagents			
	Entrez Gene:			
	5329 PLAUR Related reagents			
Synonyms	MO3, UPAR			
RRID	AB_1102418			
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the X63.Ag8.653 myeloma cell line.			
Specificity	Mouse anti Human CD87 antibody, clone VIM-5 recognizes human CD87, also known as urokinase plasminogen activator receptor (uPAR), a 50-65 kDa single chain glycosylphostidylinsitol (GPI) anchored glycoprotein, expressed by granulocytes, tissue macrophages, monocytes, endothelial cells, fibroblasts and mesenchymal and epithelial tumour cells.			
	CD87 specifically binds and activates urokinase plasminogen activator (uPA), a serine protease which converts the inactive receptor-bound proenzyme plasminogen into plasmin, triggering the proteolysis cascade of fibrinolysis. The interaction between uPAR and uPA is also known to play a role in cancer cell invasion and metastasis.			
	Clone VIM-5 is reported to block urokinase binding.			
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.			
References	<ol> <li>Sillaber, C. et al. (1997) Molecular and functional characterization of the urokinase receptor on human mast cells. <u>J Biol Chem. 272 (12): 7824-32.</u></li> <li>Gadd, S.J. et al. (1990) M5, a phosphoinositol-linked human myelomonocytic activation-associated antigen. <u>Clin Exp Immunol. 80 (2): 252-6.</u></li> </ol>			
Further Reading	1. Mondino, A. & Blasi, F. (2004) uPA and uPAR in fibrinolysis, immunity and pathology. Trends Immunol. 25 (8): 450-5.			
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation			

before use.

Guarantee

#### Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

## **Health And Safety** Information

Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2516A647T

10041

Regulatory

For research purposes only

## Related Products

## **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 647 (MCA928A647)

## Recommended Useful Reagents

**HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)** 

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367091:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint