

## Datasheet: MCA2516GA

**BATCH NUMBER 151028**

<b>Description:</b>	MOUSE ANTI HUMAN CD87
<b>Specificity:</b>	CD87
<b>Other names:</b>	UPAR, UPA-R
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	VIM-5
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/200
Immunohistology - Frozen	▪			1/100
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )

<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0mg/ml
<b>Immunogen</b>	THP-1 cells (Human acute monocytic leukaemia cells).
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">Q03405</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">5329</a>    PLAUR    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	MO3, UPAR
<b>RRID</b>	AB_915235
<b>Fusion Partners</b>	Spleen cells from immunised Balb/c mice were fused with cells of the X63.Ag8.653 myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Human CD87 antibody, clone VIM-5</b> recognizes human CD87, also known as urokinase plasminogen activator receptor (uPAR), a 50-65 kDa single chain glycosylphosphatidylinositol (GPI) anchored glycoprotein, expressed by granulocytes, tissue macrophages, monocytes, endothelial cells, fibroblasts and mesenchymal and epithelial tumour cells.</p> <p>CD87 specifically binds and activates urokinase plasminogen activator (uPA), a serine protease which converts the inactive receptor-bound proenzyme plasminogen into plasmin, triggering the proteolysis cascade of fibrinolysis. The interaction between uPAR and uPA is also known to play a role in cancer cell invasion and metastasis.</p> <p>Clone VIM-5 is reported to block urokinase binding.</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul.
<b>Histology Positive Control Tissue</b>	Human tonsil.
<b>References</b>	<ol style="list-style-type: none"> <li>1. Sillaber, C. <i>et al.</i> (1997) Molecular and functional characterization of the urokinase receptor on human mast cells. <a href="#">J Biol Chem. 272 (12): 7824-32.</a></li> <li>2. Gadd, S.J. <i>et al.</i> (1990) M5, a phosphoinositol-linked human myelomonocytic activation-associated antigen. <a href="#">Clin Exp Immunol. 80 (2): 252-6.</a></li> </ol>
<b>Further Reading</b>	1. Mondino, A. & Blasi, F. (2004) uPA and uPAR in fibrinolysis, immunity and pathology. <a href="#">Trends Immunol. 25 (8): 450-5.</a>
<b>Storage</b>	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

<b>Guarantee</b>	12 months from date of despatch
------------------	---------------------------------

---

<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2516GA">https://www.bio-rad-antibodies.com/SDS/MCA2516GA</a> 10040
--------------------------------------	--

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®550</a> , <a href="#">DyLight®650</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)  
'M367094:200529'

Printed on 12 Aug 2023