

Datasheet: MCA2516PET

Description:	MOUSE ANTI HUMAN CD87:RPE
Specificity:	CD87
Other names:	UPAR, UPA-R
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	VIM-5
Isotype:	lgG1
Quantity:	25 TESTS

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes N	o Not Determine					
	Flow Cytometry	•		Neat - 1/10				
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.							
Target Species	Human							
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - liquid							
Max Ex/Em	Fluorophore RPE 488nm laser	Excitation Max 496	(nm) Emission Max (n 578	m)				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	 0.09% Sodium Azide (NaN₃) 1% Bovine Serum Albumin 5% Sucrose 							
Immunogen	THP-1 cells (Human ad	cute monocytic l	eukaemia cells).					

External Database						
Links	UniProt:					
	Q03405 Related reagents					
	Entrez Gene:					
	5329 PLAUR Related reagents					
Synonyms	MO3, UPAR					
RRID	AB_2165466					
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the X63.Ag8.653 myeloma cell line.					
Specificity	Mouse anti Human CD87 antibody, clone VIM-5 recognizes human CD87, also know as urokinase plasminogen activator receptor (uPAR), a 50-65 kDa single chain glycosylphostidylinsitol (GPI) anchored glycoprotein, expressed by granulocytes, tissue macrophages, monocytes, endothelial cells, fibroblasts and mesenchymal and epithelia tumour cells.					
	CD87 specifically binds and activates urokinase plasminogen activator (uPA), a serine protease which converts the inactive receptor-bound proenzyme plasminogen into plasmin, triggering the proteolysis cascade of fibrinolysis. The interaction between uPAR and uPA is also known to play a role in cancer cell invasion and metastasis.					
	Clone VIM-5 is reported to block urokinase binding.					
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.					
References	 Sillaber, C. <i>et al.</i> (1997) Molecular and functional characterization of the urokinase receptor on human mast cells. <u>J Biol Chem. 272 (12): 7824-32.</u> Gadd, S.J. <i>et al.</i> (1990) M5, a phosphoinositol-linked human myelomonocytic 					
	activation-associated antigen. <u>Clin Exp Immunol. 80 (2): 252-6.</u>					
Further Reading	1. Mondino, A. & Blasi, F. (2004) uPA and uPAR in fibrinolysis, immunity and pathology. <u>Trends Immunol. 25 (8): 450-5.</u>					
Storage	Store at +4°C. DO NOT FREEZE.					
-	This product should be stored undiluted. This product is photosensitive and should be					
	protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch.					
Health And Safety Information	Material Safety Datasheet documentation #10306 available at: 10306: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10306.pdf</u>					
Regulatory	For research purposes only					

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M336000:181213'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint