Datasheet: MCA2521

Description:	MOUSE ANTI HUMAN CD92
Specificity:	CD92
Other names:	CTL1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	VIM-15b
Isotype:	IgG2b
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/200
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN_3)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	MV4-11 acute monocyte leukaemia cells.
External Database Links	**UniProt:** Q8WWI5 Related reagents **Entrez Gene:** 23446 SLC44A1 Related reagents
Synonyms	CD92, CDW92, CTL1
RRID	AB_961480
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the X63-Ag8.653 myeloma cell line.
Specificity	**Mouse anti human CD92 antibody, clone VIM-15b** recognizes the C-terminal variant of human CDw92 (isoform 3), also known as CTL1, a 70 kDa multi-pass membrane protein, expressed by monocytes, neutrophils, certain myeloid and T cell lines, and weakly by endothelial cells, fibroblasts and epithelial cells. CDw92 is a member of the choline transporter-like protein family, so called due to their involvement in the efficient supply/transport of the natural amine choline, a vital cell nutrient required for the synthesis of cell membrane phospholipid components and the neurotransmitter acetylcholine. Clone VIM-15b is reported to augment the LPS-induced production of IL-10 by monocyte-derived dendritic cells (Mo-DCs), and the reduced expression of CDw92 by Mo-DCs treated with ionomycin or calcium ionophore, can be reinduced in the presence of IL-10 (Wille, S. *et al.*). Removal of Sodium Azide is recommended prior to use in functional assays.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10^6 cells in 100ul.
Histology Positive Control Tissue	Human tonsil.
References	1. Wille, S. *et al.* (2001) Characterization of CDw92 as a member of the choline transporter-like protein family regulated specifically on dendritic cells. J Immunol. 167 (10): 5795-804. 2. Majdic, O. *et al.* (1995) Leucocyte Typing V. Oxford University Press, Oxford pp.984-5.
Further Reading	1. O'regan, S. *et al.* (2000) An electric lobe suppressor for a yeast choline transport mutation belongs to a new family of transporter-like proteins. Proc Natl Acad Sci U S A.

	97 (4): 1835-40.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2521 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos., HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR76...)	RPE
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos., DyLight®488, DyLight®550, DyLight®650, DyLight®680, DyLight®800, FITC, HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC, HRP

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

North & South America Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M397161:220616'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint