

Datasheet: MCA2522

Description:	MOUSE ANTI HUMAN CDw328
Specificity:	CDw328
Other names:	SIGLEC-7
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	5-386
Isotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry				1/100 - 1/200
	Immunohistology - Frozen	-			1/100
	Immunohistology - Paraffin				
	ELISA				
	Immunoprecipitation				

 Western Blotting
 •

 Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Monocyte-derived dendritic cells.
External Database Links	UniProt: <u>Q9Y286</u> <u>Related reagents</u> Entrez Gene: <u>27036</u> SIGLEC7 <u>Related reagents</u>
Synonyms	AIRM1
RRID	AB_2189406
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the X63-Ag8.653 myeloma cell line.
Specificity	Mouse anti Human CDw328 antibody, clone 5-386 recognizes human CDw328, a type I transmembrane glycoprotein and member of the Siglec (sialic acid binding Ig-like lectin) family, designated Siglec-7, originally identified as an inhibitory NK cell receptor (NKR) and negative regulator of NK activation, attributed to ITIM recruitment of SHP-1 phosphatase.
	CDw328 is expressed predominantly by natural killer cells (NK) and to a lesser extent by monocytes and granulocytes and, like Siglec-5 (CD170), has been shown to bind to sialylated ligands of targets through recognition of sialic acid in both the alpha-2,3- and alpha-2,6- glycosidic linkage.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
Histology Positive Control Tissue	Human tonsil.
References	 Izquierdo-useros, N. <i>et al.</i> (2012) Siglec-1 is a novel dendritic cell receptor that mediates HIV-1 trans-infection through recognition of viral membrane gangliosides. <u>PLoS</u> <u>Biol. 10 (12): e1001448.</u> Perez-Zsolt, D. <i>et al.</i> (2019) Anti-Siglec-1 antibodies block Ebola viral uptake and decrease cytoplasmic viral entry. <u>Nat Microbiol. 4 (9): 1558-70.</u>
Further Reading	 Falco, M. <i>et al.</i> (1999) Identification and molecular cloning of p75/AIRM1, a novel member of the sialoadhesin family that functions as an inhibitory receptor in human natural killer cells. <u>J Exp Med. 190 (6): 793-802.</u> Nicoll, G. <i>et al.</i> (1999) Identification and characterization of a novel siglec, siglec-7, expressed by human natural killer cells and monocytes. <u>J Biol Chem. 274 (48): 34089-95.</u>

Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2522 10040				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77)	HRP			
Rabbit Anti Mouse IgG (STAR12)	RPE			
Rabbit Anti Mouse IgG (STAR8)	DyLight®800			
Goat Anti Mouse IgG (STAR76)	RPE			
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC</u> , <u>HRP</u>			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>				
Rabbit Anti Mouse IgG (STAR13)	HRP			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®680,			
	DyLight®800, FITC, HRP			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Recommended Negative Controls				
MOUSE IgG1 NEGATIVE CONTROL (MCA928)				

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383843:210513'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint