

Datasheet: MCA2522F

Description:	MOUSE ANTI HUMAN CDw328:FITC		
Specificity:	CDw328		
Other names:	SIGLEC-7		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	5-386		
Isotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Product Form	Purified IgG conjugate	ed to Fluorescein Isoth	niocyanate Isomer ′
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm
	FITC	490	525
Preparation Buffer Solution	Purified IgG prepared supernatant Phosphate buffered sa		raphy on Protein G
Preservative Stabilisers	0.09% Sodium Azide (
Approx. Protein	IgG concentration 0.1r	mg/ml	

Immunogen	Monocyte-derived dendritic cells.			
External Database	UniProt:			
Links	Q9Y286 Related reagents			
	Entrez Gene:			
	27036 SIGLEC7 Related reagents			
Synonyms	AIRM1			
RRID	AB_1102497			
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the X63-Ag8.653 myeloma cell line.			
Specificity	Mouse anti Human CDw328 antibody, clone 5-386 recognizes human CDw328, a type I transmembrane glycoprotein and member of the Siglec (sialic acid binding Ig-like lectin) family, designated Siglec-7, originally identified as an inhibitory NK cell receptor (NKR) and negative regulator of NK activation, attributed to ITIM recruitment of SHP-1 phosphatase.			
	CDw328 is expressed predominantly by natural killer cells (NK) and to a lesser extent by monocytes and granulocytes and, like Siglec-5 (CD170), has been shown to bind to sialylated ligands of targets through recognition of sialic acid in both the alpha-2,3- and alpha-2,6- glycosidic linkage.			
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.			
References	 Izquierdo-useros, N. et al. (2012) Siglec-1 is a novel dendritic cell receptor that mediates HIV-1 trans-infection through recognition of viral membrane gangliosides. PLoS Biol. 10 (12): e1001448. Perez-Zsolt, D. et al. (2019) Anti-Siglec-1 antibodies block Ebola viral uptake and decrease cytoplasmic viral entry. Nat Microbiol. 4 (9): 1558-70. 			
Further Reading	 Falco, M. <i>et al.</i> (1999) Identification and molecular cloning of p75/AIRM1, a novel member of the sialoadhesin family that functions as an inhibitory receptor in human natural killer cells. <u>J Exp Med. 190 (6): 793-802.</u> Nicoll, G. <i>et al.</i> (1999) Identification and characterization of a novel siglec, siglec-7, expressed by human natural killer cells and monocytes. <u>J Biol Chem. 274 (48): 34089-95.</u> 			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.			

 Guarantee
 12 months from date of despatch

 Health And Safety Information
 Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2522F

 Regulatory
 For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A)
HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\textbf{Email: antibody_sales_us@bio-rad.com} \\ \textbf{Email: antibody_sales_uk@bio-rad.com} \\ \textbf{Email: antibody_sales_uk@b$

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385451:210513'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint