

Datasheet: MCA2527

Description:	MOUSE ANTI HUMAN D-DIMER
Specificity:	D-dimer
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	DD6
Isotype:	IgG2a
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting (1)	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This antibody recognizes D-dimer under non-reducing conditions.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)
Approx. Protein	IgG concentration 1.0mg/ml

Concentrations

Immunogen Homogenised fibrin clot.

External Database Links

UniProt:

[P02679](#) [Related reagents](#)

[P02671](#) [Related reagents](#)

[P02675](#) [Related reagents](#)

Entrez Gene:

[2266](#) FGG [Related reagents](#)

[2243](#) FGA [Related reagents](#)

[2244](#) FGB [Related reagents](#)

RRID AB_609618

Fusion Partners Spleen cells from immunised Balb/c mice were fused with cells of the Sp2/0 myeloma cell line.

Specificity **Mouse anti Human D-Dimer antibody, clone DD6** recognizes human D-dimer and shows low cross-reactivity with fibrinogen (D-monomer).

D-dimers are the principle degradation products of cross-linked fibrin, released into the bloodstream following the digestion of fibrin clots (thrombus) by the enzyme plasmin, and thus measurement of the level of D-dimer in plasma, can be used as an indication of thrombotic disorders. Conditions in which levels of D-dimer are elevated include deep vein thrombosis (DVT), venous thromboembolism (VTE), cardiovascular disease and disseminated intravascular coagulation (DIC), a possible acute condition arising from surgical operations, septic shock and liver disease.

References

1. Rowbotham, B.J. *et al.* (1987) Measurement of crosslinked fibrin derivatives--use in the diagnosis of venous thrombosis. [Thromb Haemost. 57 \(1\): 59-61.](#)
2. Kruskal, J.B. *et al.* (1992) Elevated fibrin-related and fibrinogen-related antigens in patients with liver disease. [Hepatology. 16 \(4\): 920-3.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2527>
10040

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M414307:221206'

Printed on 18 Jan 2024