

Datasheet: MCA2539GA

## **BATCH NUMBER 1804**

Description:	RAT ANTI MOUSE PLVAP
Specificity:	PLVAP
Other names:	MECA-32, PLASMALEMMA VESICLE ASSOCIATED PROTEIN
Format:	Purified
<b>Product Type:</b>	Monoclonal Antibody
Clone:	MECA-32
Isotype:	lgG2a
Quantity:	0.1 mg

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen	•			1/25 - 1/100
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation				
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein C supernatant	G from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )	

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
External Database Links	UniProt:  Q91VC4 Related reagents  Entrez Gene:  84094 Plvap Related reagents
Synonyms	Pv1
RRID	AB_931734
Fusion Partners	Spleen cells from an immunized rat were fused with cells of the Sp2/0 myeloma cell line.
Specificity	Rat anti Mouse PLVAP antibody, clone MECA-32 recognizes murine plasmalemma vesicle-associated protein (PLVAP), a ~60 kDa protein also known as MECA-32 and PV-1. PLVAP is a transmembrane homodimer associated with endothelial cell caveolae and fenestrae. In adult and embryonic mice, PLVAP is primarily expressed on endothelial tissues but shows restricted distribution in skeletal, cardiac and brain tissues. In embryonic mice, PLVAP expression, on the vasculature associated with blood brain barrier has been reported to be developmentally regulated.  In humans, PLVAP is selectively up-regulated in a variety of high-grade brain tumors, including glioblastoma and metastatic carcinoma, as well as other cerebral disorders associated with blood-brain barrier disruption, such as acute ischemia. PLVAP represents a novel marker of brain tumour angiogenesis and integrity of the blood-brain barrier and is a potential therapeutic target.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Hallmann, R. <i>et al.</i> (1995) Novel mouse endothelial cell surface marker is suppressed during differentiation of the blood brain barrier. Dev Dyn. 202 (4): 325-32.</li> <li>Daneman, R. <i>et al.</i> (2010) Pericytes are required for blood-brain barrier integrity during embryogenesis. Nature. 468 (7323): 562-6.</li> <li>Okizaki SI <i>et al.</i> (2016) Vascular Endothelial Growth Factor Receptor Type 1 Signaling Prevents Delayed Wound Healing in Diabetes by Attenuating the Production of IL-1β by Recruited Macrophages. Am J Pathol. Apr 13. pii: S0002-9440(16)30030-X. [Epub ahead of print]</li> <li>Orford M <i>et al.</i> (2009) Generation of an ABCG2(GFPn-puro) transgenic linea tool to study ABCG2 expression in mice. Biochem Biophys Res Commun. 384 (2): 199-203.</li> </ol>
Further Reading	1. Carson-Walter, E.B. <i>et al.</i> (2005) Plasmalemmal vesicle associated protein-1 is a novel marker implicated in brain tumor angiogenesis. <u>Clin Cancer Res. 11 (21): 7643-50.</u>
Storage	Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2539GA">https://www.bio-rad-antibodies.com/SDS/MCA2539GA</a> 10040
Regulatory	For research purposes only

# **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

HRP

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

Rabbit Anti Rat IgG (STAR21...)

HRP

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367154:200529'

### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint