

Datasheet: MCA2549

Description:	MOUSE ANTI HUMAN CD142
Specificity:	CD142
Other names:	TISSUE FACTOR
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CLB/TF-1
lsotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is		
	derived from testing within our laboratories, peer-reviewed publications or personal		
	communications from the originators. Please refer to references indicated for further		
	information. For general protocol recommendations, please visit www.bio-		
	rad-antibodies.com/protocols.		

		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	-					
	Immunohistology - Frozen						
	Immunohistology - Paraffin						
	ELISA	-					
	Immunoprecipitation						
	Western Blotting						
	Where this product has n	not been t	ested for	use in a particular tech	nique this does not		
	necessarily exclude its us	se in suc	h procedu	res. Suggested workin	g dilutions are given as		
	a guide only. It is recomn	Ily. It is recommended that the user titrates the product for use in their own					
	system using appropriate negative/positive controls.						
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant			raphy on Protein A fror	n tissue culture		
Buffer Solution	TRIS buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (Na	aN ₃)					

Approx. Protein Concentrations	IgG concentration 1.0mg/ml
External Database Links	UniProt: <u>P13726</u> <u>Related reagents</u> Entrez Gene:
	2152 F3 Related reagents
RRID	AB_617212
Specificity	Mouse anti Human CD142 antibody, clone CLB/TF-1 recognizes human CD142, a 45 kDa cell surface glycoprotein which is otherwise known as Tissue Factor (TF). CD142 expression can be induced on monocytes, macrophages and endothelial cells by various stimuli including interleukin 1, tumour necrosis factor and endotoxin. CD142 initiates the blood clotting cascade by binding coagulation factor VIIa, which activates factor IX or factor X by specific limited proteolysis. CD142 also plays an important role in inflammation, angiogenesis, and the pathophysiology of atherosclerosis and cancer.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	 van der Putten, R.F. <i>et al.</i> (2005) High-affinity antibodies in a new immunoassay for plasma tissue factor: reduction in apparent intra-individual variation. <u>Clin Chem Lab Med.</u> <u>43 (12): 1386-91.</u> van der Putten, R.F. <i>et al.</i> (2005) State and diagnostic value of plasma tissue factor in early-hospitalised patients with chest pain. <u>Br J Haematol. 131 (1): 91-9.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10057 available at: 10057: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10057.pdf</u>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>				
Goat Anti Mouse IgG (STAR77)	<u>HRP</u>			
Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>			
Rabbit Anti Mouse IgG (STAR8)	DyLight®800			

Rabbit Anti Mouse IgG (STAR13)	HRP
Goat Anti Mouse IgG (STAR76)	RPE
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®680,
	DyLight®800, FITC, HRP
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com M374664:201120'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint