

Datasheet: MCA2555B BATCH NUMBER 151209

Description:	MOUSE ANTI CANINE HEARTWORM:Biotin		
Specificity:	CANINE HEARTWORM		
Format:	Biotin		
Product Type:	Monoclonal Antibody		
Clone:	HW2-83		
lsotype:	lgG1		
Quantity:	0.25 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	ELISA	•				
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Invertebrates					
Product Form	Purified IgG conjugated to Biotin - liquid					
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.05% Sodium Azide (NaN ₃)					
Approx. Protein Concentrations	IgG concentration 1.0mg/ml					
RRID	AB_808598					
Specificity	Mouse anti Canine Hea	rtworm a	ntibody,	clone HW2-83 recog	nizes both male and	

		57376 Worldwide	Tel: +44 (0)1865 852 700 Europe	Tel: +49 (0) 89 8090 95 21			
Regulatory		For research purposes					
Health Ai Informati	-	e at:					
Guarante	e	12 months from date of					
		Storage in frost-free fro	eezing and thawing as this may itate we recommend				
Further R	leading	 Mupanomunda, M. <i>et al.</i> (1997) Dirofilaria immitis: heartworm infection alters pulmonary artery endothelial cell behavior. <u>J Appl Physiol (1985). 82 (2): 389-98.</u> Uchide, T. & Saida, K. (2005) Elevated endothelin-1 expression in dogs with heartworm disease. <u>J Vet Med Sci. 67 (11): 1155-61.</u> Store at +4°C or at -20°C if preferred. 					
ELISA		ELISA together with M	sed in a direct ELISA or as a detection CA2554 as a capture reagent.	_			
		Canine heartworm disease, resulting ultimately in damage to the pulmonary vasculature system, is largely attributed to the immunological response of the host to the presence of the adult parasites, and in many cases their microscopic offspring (microfilaria) which circulate in the bloodstream, but growing evidence suggests the involvement of further factors/mediators.					
		insidious and potential	ection, caused by the filarial nematod ly fatal condition transmitted by mose dogs, but may also affect other spec numans.	quitoes, which primarily affects			

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint