Datasheet: MCA2559

Description:	MOUSE ANTI HUMAN CD263
Specificity:	CD263
Other names:	DcR1, TRAIL-R3
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	2B8
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/200
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN_3)
Carrier Free	Yes

Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	DcR1-Fc chimaeric protein.
External Database Links	**UniProt:** O14798 Related reagents **Entrez Gene:** 8794 TNFRSF10C Related reagents
Synonyms	DCR1, LIT, TRAILR3, TRID
RRID	AB_906154
Fusion Partners	Lymph node cells from immunized mice were fused with cells of the P3U1 myeloma cell line
Specificity	**Mouse anti Human CD263 antibody, clone 2B8** recognizes human CD263, a ~60 kDa cell surface protein, which is otherwise known as decoy receptor 1 (DcR1). CD263 is a member of the tumour necrosis factor (TNF) receptor superfamily that binds to TNF-related apoptosis inducing ligand (TRAIL). As the receptor does not possess cytoplasmic death domains it cannot induce apoptosis, but instead plays an important role in inhibiting TRAIL-induced apoptosis. CD263 is expressed in normal tissues including heart, skeletal tissues and peripheral blood neutrophils, but weakly expressed in tumour cells. The 2B8 antibody does not inhibit DcR1 (CD263) inhibitory function in TRAIL-induced apoptosis.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10^6 cells in 100ul.
Storage	Store at +4^{o}C or at -20^{o}C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos., HRP
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC, HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos., DyLight®488, DyLight®680, DyLight®800, FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South America
Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide
Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe
Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

'M367176:200529'

Printed on 04 Jan 2021