Datasheet: MCA2559PE

Description:	MOUSE ANTI HUMAN CD263:RPE
Specificity:	CD263
Other names:	DcR1, TRAIL-R3
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	2B8
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Human

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution

Reconstitute with 1.0ml distilled water.

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578

Preparation

Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN_3)
1% Bovine Serum Albumin
5% Sucrose

Immunogen	DcR1-Fc chimaeric protein.
External Database Links	**UniProt:** O14798 Related reagents **Entrez Gene:** 8794 TNFRSF10C Related reagents
Synonyms	DCR1, LIT, TRAILR3, TRID
RRID	AB_961534
Fusion Partners	Lymph node cells from immunized mice were fused with cells of the P3U1 myeloma cell line
Specificity	**Mouse anti Human CD263 antibody, clone 2B8** recognizes human CD263, a ~60 kDa cell surface protein, which is otherwise known as decoy receptor 1 (DcR1). CD263 is a member of the tumour necrosis factor (TNF) receptor superfamily that binds to TNF-related apoptosis inducing ligand (TRAIL). As the receptor does not possess cytoplasmic death domains it cannot induce apoptosis, but instead plays an important role in inhibiting TRAIL-induced apoptosis. CD263 is expressed in normal tissues including heart, skeletal tissues and peripheral blood neutrophils, but weakly expressed in tumour cells. The 2B8 antibody does not inhibit DcR1 (CD263) inhibitory function in TRAIL-induced apoptosis.
Flow Cytometry	Use 10ul of the suggested working dilution to label $1x10^6$ cells in 100ul.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA2559PE 20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A)
HUMAN SEROBLOCK (BUF070B)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M419346:230616'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint