

Datasheet: MCA2568A647T BATCH NUMBER 150870

Description:	MOUSE ANTI CAT CD134:Alexa Fluor® 647		
Specificity:	CD134		
Other names:	OX40		
Format:	ALEXA FLUOR® 647		
Product Type:	Monoclonal Antibody		
Clone:	7D6		
Isotype:	lgG1		
Quantity:	25 TESTS/0.25ml		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry	•		Neat - 1/5			
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
Target Species	Cat						
Species Cross Reactivity							
2	Reacts weakly with:Human N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid						
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)				
	Alexa Fluor®647	650	665				
Preparation	Purified IgG prepared supernatant	by affinity chromatog	raphy on Protein G fror	n tissue culture			

Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide (NaN ₃)
Stabilisers	
	1% Bovine Serum Albumin
Approx. Protein	IgG concentration 0.05mg/ml
Concentrations	igo concentration o.oomg/mi
Immunogen	CHO-derived feline CD134-Fc fusion protein.
RRID	AB_1100687
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the NS0 mouse myeloma cell line.
Specificity	Mouse anti Cat CD134 antibody, clone 7D6 recognizes feline CD134, otherwise known as OX40, a 43 kDa type I membrane protein and member of the tumor necrosis factor receptor superfamily, expressed predominantly by CD4+ activated T cells, and a key regulator of T cell-dependent immune responses.
	CD134 has been identified as the receptor for the OX40 ligand, CD252, expressed by activated B cells, acting as a co-stimulatory signal for the stimulation and secretion of immunoglobulins. CD134 has also been identified as a binding receptor for Feline Immunodeficiency Virus (FIV), acting along with CXC chemokine receptor 4 (CXCR4) to facilitate the entry of the virus into CD4+ primary target cells.
Flow Cytometry	
	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	 Use 10ul of the suggested working dilution to label 1x10° cells in 100ul. 1. Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J <u>Virol. 81: 9665-79.</u> 2. Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134 (OX40)-ligand generates a functional antagonist of feline immunodeficiency virus. <u>Mol</u>
References	 Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J. <u>Virol. 81: 9665-79.</u> Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134
References	 Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J <u>Virol. 81: 9665-79.</u> Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134 (OX40)-ligand generates a functional antagonist of feline immunodeficiency virus. <u>Mol</u>
References	 Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J <u>Virol. 81: 9665-79.</u> Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134 (OX40)-ligand generates a functional antagonist of feline immunodeficiency virus. <u>Mol Immunol. 46: 1020-30.</u>
References Further Reading	 Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J <u>Virol. 81: 9665-79.</u> Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134 (OX40)-ligand generates a functional antagonist of feline immunodeficiency virus. Mol <u>Immunol. 46: 1020-30.</u> McDonnel, S.J. <i>et al.</i> (2012) Pharmacologic reactivation of latent feline immunodeficiency virus ex vivo in peripheral CD4+ T-lymphocytes. <u>Virus Res. 170 (1-2): 174-9.</u> Stüber, E. & Strober, W. (1996) The T cell-B cell interaction via OX40-OX40L is necessary for the T cell-dependent humoral immune response. J Exp Med. 183 (3): 979-89.
	 Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J <u>Virol. 81: 9665-79.</u> Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134 (OX40)-ligand generates a functional antagonist of feline immunodeficiency virus. Mol <u>Immunol. 46: 1020-30.</u> McDonnel, S.J. <i>et al.</i> (2012) Pharmacologic reactivation of latent feline immunodeficiency virus ex vivo in peripheral CD4+ T-lymphocytes. <u>Virus Res. 170 (1-2): 174-9.</u> Stüber, E. & Strober, W. (1996) The T cell-B cell interaction via OX40-OX40L is necessary for the T cell-dependent humoral immune response. J Exp Med. 183 (3):
	 Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J <u>Virol. 81: 9665-79.</u> Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134 (OX40)-ligand generates a functional antagonist of feline immunodeficiency virus. Mol <u>Immunol. 46: 1020-30.</u> McDonnel, S.J. <i>et al.</i> (2012) Pharmacologic reactivation of latent feline immunodeficiency virus ex vivo in peripheral CD4+ T-lymphocytes. <u>Virus Res. 170 (1-2): 174-9.</u> Stüber, E. & Strober, W. (1996) The T cell-B cell interaction via OX40-OX40L is necessary for the T cell-dependent humoral immune response. <u>J Exp Med. 183 (3): 979-89.</u> de Parseval, A. <i>et al.</i> (2004) Feline immunodeficiency virus targets activated CD4+ T
Further Reading	 Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. J Virol. 81: 9665-79. Willett, B.J. <i>et al.</i> (2009) Enforced covalent trimerisation of soluble feline CD134 (OX40)-ligand generates a functional antagonist of feline immunodeficiency virus. Mol Immunol. 46: 1020-30. McDonnel, S.J. <i>et al.</i> (2012) Pharmacologic reactivation of latent feline immunodeficiency virus ex vivo in peripheral CD4+ T-lymphocytes. <u>Virus Res. 170 (1-2):</u> 174-9. Stüber, E. & Strober, W. (1996) The T cell-B cell interaction via OX40-OX40L is necessary for the T cell-dependent humoral immune response. J Exp Med. 183 (3): 979-89. de Parseval, A. <i>et al.</i> (2004) Feline immunodeficiency virus targets activated CD4+ T cells by using CD134 as a binding receptor. <u>Proc Natl Acad Sci U S A. 101 (35): 13044-9.</u>

	protected from light. Avoid repeated freezing and thawing as the antibody. Should this product contain a precipitate we recommobefore use.	-
Guarantee	12 months from date of despatch	
Acknowledgements	from Life Technologies uyer using the purchase fee for service research, or its components for (a) nalysis or screening st basis; (c) manufacturing r not resold for use in uct for purposes other than '91 Van Allen Way, Carlsbad	
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2568A647T 10041	
Regulatory	For research purposes only	
Related Produc	cts	
Recommended No	egative Controls	
	VE CONTROL:Alexa Fluor® 647 (MCA928A647) VE CONTROL:Alexa Fluor® 647 (MCA1209A647)	

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	l.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367183:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint