

Datasheet: MCA2578GA

Description:	RAT ANTI MOUSE TREM-1
Specificity:	TREM-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	L5-B8.2A12.3A12
Isotype:	lgG2a
Quantity:	0.1 mg

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/25 - 1/100
Immunohistology - Frozen (1)	•			
Immunohistology - Paraffin				
ELISA			•	
Immunoprecipitation			•	
Western Blotting	•			
Immunofluorescence	-			
Functional Assays			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)The epitope recognised by this antibody is reported to be sensitive to formaldehyde fixation and tissue processing. Bio-Rad recommends the use of acetone fixation for frozen sections.

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	from tissue culture
Buffer Solution	Phosphate buffered saline	

Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Mouse TREM-1 Fc fusion protein.
External Database Links	UniProt:
	Q9JKE2 Related reagents
	Entrez Gene:
	58217 Trem1 Related reagents
RRID	AB_1833789
	receptor expressed on myeloid cells 1 (TREM-1), a 30kD member of the immunoglobulin superfamily expressed on neutrophils and a subset of monocytes. TREM-1 is involved in the microbial inflammatory response. It acts in conjunction with the adaptor protein DAP12 to activate neutrophils and monocytes, leading to the secretion of pro-inflammatory mediators and enhancement of the inflammatory response. Microbial infection also induces the release of soluble form of TREM-1 from monocytes, which is reported to act as an inhibitor of TREM-1.
	TREM-1 mediates the septic shock pathway, and blocking TREM-1 has been reported to reduce inflammation and increase survival in certain models of bacterial infection.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
References	1. Wang, F. et al. (2012) Blocking TREM-1 signaling prolongs survival of mice with <i>Pseudomonas aeruginosa</i> induced sepsis. Cell Immunol. 272 (2): 251-8.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2578GA">https://www.bio-rad-antibodies.com/SDS/MCA2578GA</a> 10040

# Related Products

# **Recommended Secondary Antibodies**

Goat Anti Rat IgG (STAR69...) FITC

Goat Anti Rat IgG (STAR73...) RPE

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) DyLight®650, DyLight®800

Goat Anti Rat IgG (STAR72...)

Rabbit Anti Rat IgG (STAR21...)

Rabbit Anti Rat IgG (STAR17...)

FITC

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

## **Recommended Negative Controls**

RAT IgG2a NEGATIVE CONTROL (MCA1212)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M384439:210513'

#### Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint