

Datasheet: MCA2586EL

Description:	RAT ANTI MOUSE CDw199:Low Endotoxin
Specificity:	CDw199
Other names:	CCR9
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	9B1
Isotype:	IgG2a
Quantity:	0.5 mg

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/25 - 1/200
Functional Assays	=			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

culture

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	From tissue o
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	None present	
Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0mg/ml	

Immunogen	25 amino acids from the amino terminal of murine CCR9, coupled to KLH.
External Database Links	UniProt:  Q9WUT7 Related reagents  Entrez Gene:  12769 Ccr9 Related reagents
Synonyms	Cmkbr10
RRID	AB_2073257
Fusion Partners	Spleen cells from immunised Lewis rat were fused with cells of the X63-Ag8.653 myeloma cell line.
Specificity	Rat anti Mouse CDw199 antibody, clone 9B1 detects mouse chemokine receptor 9 (CCR9), also known as CDw199. CCR9 is a seven transmembrane protein which is a member of the beta chemokines receptor family. CCR9 is expressed in thymus and small intestine, and mediates the recruitment and development of thymocytes in response to CCL25; the only known ligand of CCR9.  CCR9 is an alternative co-receptor with CD4 for HIV infection, and has been implicated in adult T cell leukaemia. Two alternatively spliced transcript variants have been described.
	Clone 9B1 blocks CCL25-induced Ca <sup>2+</sup> release, attenuating inflammation in a murine model of chronic ileitis when given in early disease stages.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Rivera-nieves, J. et al. (2006) Antibody blockade of CCL25/CCR9 ameliorates early but not late chronic murine ileitis. <u>Gastroenterology. 131 (5): 1518-29.</u></li> <li>Nagakubo, D. et al. (2007) Expression of CCR9 in HTLV-1+ T cells and ATL cells expressing Tax. <u>Int J Cancer. 120 (7): 1591-7.</u></li> </ol>
Further Reading	1. Uehara, S. <i>et al.</i> (2006) Premature expression of chemokine receptor CCR9 impairs T cell development. <u>J Immunol. 176 (1): 75-84.</u>
04	
Storage	Store at -20°C only.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend

1 of recogniting purposes of my

## Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR17...) <u>FITC</u>
Goat Anti Rat IgG (STAR69...) <u>FITC</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR73...)

Rabbit Anti Rat IgG (STAR21...)

HRP

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®800</u>

Goat Anti Rat IgG (STAR72...) HRP

# **Recommended Negative Controls**

RAT IgG2a NEGATIVE CONTROL:Low Endotoxin (MCA1212EL)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M331517:180912'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint