Datasheet: MCA2586GA BATCH NUMBER 159777

| RAT ANTI MOUSE CD199 |
|----------------------|
| CD199 |
| CCR9 |
| Purified |
| Monoclonal Antibody |
| 9B1 |
| lgG2a |
| |
| |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | |
|-----------------------------------|--|-------------------|-----------|---------------------|--------------------|
| | | Yes | No | Not Determined | Suggested Dilution |
| | Flow Cytometry | - | | | 1/25 - 1/200 |
| | Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. | | | | |
| Target Species | Mouse | | | | |
| Product Form | Purified IgG - liquid | | | | |
| Preparation | Purified IgG prepared by supernatant | affinity ch | nomatogra | aphy on Protein G f | rom tissue culture |
| Buffer Solution | Phosphate buffered salin | ie | | | |
| Preservative Stabilisers | 0.09% Sodium Azide (Na | aN ₃) | | | |
| Carrier Free | Yes | | | | |
| Approx. Protein Concentrations | IgG concentration 1.0mg | /ml | | | |

| External Database Links | UniProt: |
|----------------------------------|--|
| Linko | Q9WUT7 Related reagents |
| | Entrez Gene: |
| | 12769 Ccr9 Related reagents |
| Synonyms | Cmkbr10 |
| RRID | AB_1604844 |
| Fusion Partners | Spleen cells from immunized Lewis rat were fused with cells of the X63-Ag8.653 myeloma cell line. |
| Specificity | Rat anti Mouse CD199 antibody, clone 9B1 detects mouse chemokine receptor 9 (CCR9), also known as CD199. CCR9 is a seven transmembrane protein which is a member of the beta chemokines receptor family. CCR9 is expressed in thymus and small intestine, and mediates the recruitment and development of thymocytes in response to CCL25; the only known ligand of CCR9. |
| | CCR9 is an alternative co-receptor with CD4 for HIV infection, and has been implicated in adult T cell leukaemia. Two alternatively spliced transcript variants have been described. |
| | Clone 9B1 blocks CCL25-induced Ca ²⁺ release, attenuating inflammation in a murine model of chronic ileitis when given in early disease stages. |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul. |
| Further Reading | 1. Uehara, S. <i>et al.</i> (2006) Premature expression of chemokine receptor CCR9 impairs T cell development. <u>J Immunol. 176 (1): 75-84.</u> |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. |
| | Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2586GA 10040 |
| Regulatory | For research purposes only |
| | |

Related Products

Recommended Secondary Antibodies

| Rabbit A | nti Rat IgG (STAR16) | | DyLight®800 | | | | |
|--|---|-----------|---|---------|--|--|--|
| Rabbit Anti Rat IgG (STAR17) | | | <u>FITC</u> | FITC | | | |
| Goat Ant | i Rat IgG (STAR72) | | HRP | HRP | | | |
| Goat Ant | Goat Anti Rat IgG (STAR69) <u>FITC</u> | | | | | | |
| Goat Ant | Goat Anti Rat IgG (STAR73) RPE | | | | | | |
| Rabbit Anti Rat IgG (STAR21) HRP | | | | | | | |
| Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71) <u>DyLight®550</u> , <u>DyLight®650</u> , <u>DyLight®800</u> | | | | | | | |
| Goat Anti Rat IgG (STAR131) <u>Alk. Phos.</u> , <u>Biotin</u> | | | | | | | |
| Recommended Negative Controls | | | | | | | |
| RAT IgG2a NEGATIVE CONTROL (MCA1212) | | | | | | | |
| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 | | |
| America | Fax: +1 919 878 3751 Email: antibody_sales_us@bio-ra | d.com | Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio- | rad.com | Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com | | |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M384111:210513'

Printed on 19 Jan 2024

| © 2 | 2024 | Bio-Rad | Laboratories Ir | _edal I | Imprint |
|-----|------|----------------|-----------------|---------|---------|
| | | | | | |