

Datasheet: MCA2588A488

## **BATCH NUMBER 161884**

Description:	MOUSE ANTI HUMAN CD61:Alexa Fluor® 488		
Specificity:	CD61		
Other names:	INTEGRIN BETA 3 CHAIN		
Format:	ALEXA FLUOR® 488		
Product Type:	Monoclonal Antibody		
Clone:	Y2/51		
Isotype:	lgG1		
Quantity:	100 TESTS/1ml		

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species Product Form	Human Purified IgG conjuga	ated to Alexa Fluor®488	3 - liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	•
Mux Extern	Alexa Fluor®488	495	519
Preparation	Purified IgG prepare supernatant	ed by affinity chromatog	raphy on Protein G t
Buffer Solution	Phosphate buffered	saline	
Preservative Stabilisers	0.09% Sodium Azid 1% Bovine Serum A	` 0,	
Approx. Protein	IgG concentration 0	05mg/ml	

### Concentrations

Immunogen	PHA stimulated peripheral blood cells.			
External Database Links	UniProt: P05106 Related reagents			
	Entrez Gene: 3690 ITGB3 Related reagents			
Synonyms	GP3A			
RRID	AB_1055669			
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the NS1 myeloma cell line.			
Specificity	<b>Mouse anti Human CD61 antibody, clone Y2/51</b> recognizes CD61, a ~105 kDa glycoprotein, also known as integrin beta 3 chain. This molecule associates with either the alpha IIb integrin (CD41) or the alpha V integrin (CD51) at the cell surface. CD61 is expressed on platelets and megakaryocytes in association with CD41, and on endothelial cells, monocytes, platelets and osteoclasts in association with CD51.			
	CD61 is a receptor for fibrinogen, fibronectin, vWF, vitronectin and thrombospondin.			
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.			
References	<ol> <li>Phillips, D.R. <i>et al.</i> (1991) GPIIb-IIIa: the responsive integrin. Cell. 65 (3): 359-62.</li> <li>Hynes, R.O. (1992) Integrins: versatility, modulation, and signaling in cell adhesion. Cell. 69 (1): 11-25.</li> <li>Michelson, A. D. <i>et al.</i> (1995) A panel of platelet mAb for the study of haemostasis and thrombosis in baboons. Leucocyte Typing V. Oxford University Press p 1230-1.</li> <li>Gatter, K.C. <i>et al.</i> (1988) The immunohistological detection of platelets, megakaryocytes and thrombi in routinely processed specimens. Histopathology. 13 (3): 257-67.</li> <li>Kamat, V. <i>et al.</i> (2015) Microfluidic assessment of functional culture-derived platelets in human thrombi under flow. Exp Hematol. 43 (10): 891-900.e4.</li> <li>Ogino, T. <i>et al.</i> (2014) Erythroid and megakaryocytic differentiation of K562 erythroleukemic cells by monochloramine. Free Radic Res. 48 (3): 292-302.</li> <li>Tehrani, S. <i>et al.</i> (2010) Atorvastatin has antithrombotic effects in patients with type 1 diabetes and dyslipidemia. Thromb Res. 126 (3): e225-31.</li> <li>Dircks, B.H. <i>et al.</i> (2012) Platelet-neutrophil aggregate formation in blood samples from dogs with systemic inflammatory disorders. Am J Vet Res. 73 (7): 939-45.</li> <li>Comazzi, S. <i>et al.</i> (2010) Acute megakaryoblastic leukemia in dogs: a report of three cases and review of the literature. J Am Anim Hosp Assoc. 46 (5): 327-35.</li> </ol>			

10. Jackson, J.W. et al. (2016) Novel Antiplatelet Activity of Minocycline Involves Inhibition

of MLK3-p38 Mitogen Activated Protein Kinase Axis. PLoS One. 11 (6): e0157115.

11. Chen, C.P. et al. (2018) Oxidative stress reduces trophoblast FOXO1 and integrin β3 expression that inhibits cell motility. Free Radic Biol Med. Jun 07 [Epub ahead of print].

#### Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

#### Guarantee

12 months from date of despatch

#### **Acknowledgements**

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

## **Health And Safety** Information

Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2588A488 10041

## Regulatory

For research purposes only

## Related Products

#### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 488 (MCA928A488)

### Recommended Useful Reagents

**HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)** 

America

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Fax: +1 919 878 3751

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385460:210513'

#### Printed on 18 Jan 2024