

Datasheet: MCA2592 BATCH NUMBER 160578

Description:	MOUSE ANTI CANINE DISTEMPER VIRUS
Specificity:	CANINE DISTEMPER VIRUS
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	7515
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	•			1/20 - 1/200
Immunoprecipitation				
Western Blotting				
Immunofluorescence				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Viral	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein a supernatant	A from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃)	

Approx. Protein Concentrations	IgG concentration 0.1 mg/ml	
Immunogen	Envelope protein of canine distemper virus.	
RRID	AB_808554	
Specificity	Mouse anti Canine distemper virus antibody, clone 7515 re protein of canine distemper virus (CDV), a negatively stranded infection induces a systemic, often fatal disease in a broad and among the Carnivora. CDV is highly contagious, and transmiss via aerosols, resulting in neuroinvasiveness and severe immurrates during CDV outbreaks can exceed 80%.	I RNA morbillivirus. CDV d expanding host spectrum sion occurs predominantly
References	1. Kabak YB <i>et al.</i> (2015) Immunohistochemical detection of a microtubule-associated protein 1 light chain 3 (LC3) in the cere infected with canine distemper virus. <u>Biotech Histochem. Jul 1</u> 2. Yarim, M. <i>et al.</i> (2011) Ki67 expression in the cerebellum of <u>de Médecine Vétérinaire 162: 246-51.</u>	ebellums of dogs naturally 6. [Epub ahead of print]
Further Reading	1. Harder, T.C. and Osterhaus, A.D. (1997) Canine distemper search of new hosts? <u>Trends Microbiol. 5: 120-124.</u>	virusa morbillivirus in
Storage	This product is shipped at ambient temperature. It is recomme -20°C on receipt. When thawed, aliquot the sample as needed short term use (up to 4 weeks) and store the remaining aliquot	I. Keep aliquots at 2-8°C for
	Avoid repeated freezing and thawing as this may denature the frost-free freezers is not recommended.	antibody. Storage in
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2592 10040	:
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC
Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383886:210513'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint