

Datasheet: MCA2598A488

Description:	MOUSE ANTI PIG CD117:Alexa Fluor® 488
Specificity:	CD117
Other names:	С-КІТ
Format:	ALEXA FLUOR® 488
Product Type:	Monoclonal Antibody
Clone:	2B8/BM
lsotype:	lgG1
Quantity:	100 TESTS/1ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	-			Neat		
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
Target Species	Pig						
Product Form	Purified IgG conjugated to Alexa Fluor® 488 - liquid						
Max Ex/Em	Fluorophore Alexa Fluor®488	Excitation Ma 495	x (nm)	Emission Max (nm) 519			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin						
Approx. Protein Concentrations	IgG concentration 0.05mg/ml						

Immunogon	Develop hone merrow celle (DMC)
Immunogen	Porcine bone marrow cells (BMC).
External Database Links	UniProt: Q2HWD6 Related reagents Entrez Gene: 396810 KIT Related reagents
RRID	AB_1125233
Fusion Partners	Spleen cells from immunized Balb/c mouse were fused with cells of the Sp2/0 myeloma cell line.
Specificity	 Mouse anti Pig CD117, clone 2B8/BM is specific for porcine CD117, also known as c-kit, a 155 kDa type I transmembrane protein with protein tyrosine kinase activity, which plays an important role in early hematopoiesis (Perez <i>et al.</i> 2007). Hematopoietic stem cells (HSC) of bone marrow have multilineage differentiation potential and an extensive capacity for self-renewal. The majority of adult bone marrow hematopoietic progenitor cells are CD117+ and have been used successfully in xenograft transplantation models for long term survival of grafts, without symptoms of graft-versus-host disease (GVHD). Mouse anti pig CD117, clone 2B8/BM recognizes CD117 on a small subset of porcine bone marrow progenitor cells and therefore provides an alternative tool from the previously used c-kit ligand stem cell factor, for the isolation and enrichment of porcine stem cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.
References	 Hatzistergos, K.E. <i>et al.</i> (2010) Bone marrow mesenchymal stem cells stimulate cardiac stem cell proliferation and differentiation. <u>Circ Res. 107: 913-22.</u> Escalona, Z. <i>et al.</i> (2014) Molecular characterization and expression of porcine Siglec-5. <u>Dev Comp Immunol. 44 (1): 206-16.</u> Wehman, B. <i>et al.</i> (2016) Mesenchymal stem cells preserve neonatal right ventricular function in a porcine model of pressure overload. <u>Am J Physiol Heart Circ Physiol. 310 (11): H1816-26.</u> Wehman, B. <i>et al.</i> (2016) Intracoronary Stem Cell Delivery to the Right Ventricle: A Preclinical Study. <u>Semin Thorac Cardiovasc Surg. 28 (4): 817-24.</u> Wehman, B. <i>et al.</i> (2017) Cardiac Progenitor Cells Enhance Neonatal Right Ventricular Function After Pulmonary Artery Banding. <u>Ann Thorac Surg. 104 (6): 2045-53.</u> Arenal, Á. <i>et al.</i> (2022) Effects of Cardiac Stem Cell on Postinfarction Arrhythmogenic Substrate. <u>Int J Mol Sci. 23 (24): 16211.</u>
Further Reading	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. <u>Vet Res. 39: 54.</u>

Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.				
Guarantee	12 months from date of despatch				
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2598A488 10041				
Regulatory	For research purposes only				

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 488 (MCA928A488)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385537:210513'

Printed on 10 Jun 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint