

Datasheet: MCA2598GA

#### **BATCH NUMBER 1803**

| Description:            | MOUSE ANTI PIG CD117          |
|-------------------------|-------------------------------|
| Specificity:            | CD117                         |
| Other names:            | C-KIT                         |
| Format:                 | Purified                      |
|                         |                               |
| Product Type:           | Monoclonal Antibody           |
| Product Type:<br>Clone: | Monoclonal Antibody<br>2B8/BM |
|                         |                               |

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                            | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry             | •   |    |                | 1/10 - 1/20        |
| Immunohistology - Frozen   | •   |    |                |                    |
| Immunohistology - Paraffin |     |    |                |                    |
| ELISA                      |     |    |                |                    |
| Immunoprecipitation (1)    | •   |    |                |                    |
| Western Blotting (2)       | •   |    |                |                    |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

- (1)Enrichment of 2B8/BM+ BMC population required by depletion of CD3+, 6D10+ and CD163+ cells. Please see <u>Pérez, C. et al.</u> (2007) for details.
- (2)Enrichment of 2B8/BM+ BMC population required by depletion of CD3+, 6D10+ and CD163+ cells. Please see <u>Pérez, C. et al.</u> (2007) for details.

| Target Species | Pig  |                       |
|----------------|--|-----------------------|
| Product Form   | Purified IgG - liquid  |                       |
| Preparation    | Purified IgG prepared by affinity chromatography on Protein G<br>supernatant | G from tissue culture |

| Buffer Solution                   | Phosphate buffered saline  |  |  |  |
|-----------------------------------|--|--|--|--|
| Preservative<br>Stabilisers       | 0.09% Sodium Azide (NaN <sub>3</sub> )   |  |  |  |
| Carrier Free                      | Yes  |  |  |  |
| Approx. Protein<br>Concentrations | IgG concentration 1.0mg/ml   |  |  |  |
| Immunogen                         | Porcine bone marrow cells (BMC).   |  |  |  |
| External Database<br>Links        | UniProt:  Q2HWD6 Related reagents  Entrez Gene:  396810 KIT Related reagents   |  |  |  |
| Fusion Partners                   | Spleen cells from immunised Balb/c mouse were fused with cells of the Sp2/0 myeloma cell line.   |  |  |  |
| Specificity                       | <b>Mouse anti Pig CD117, clone 2B8/BM</b> is specific for porcine CD117, also known as c-kit, a 155 kDa type I transmembrane protein with protein tyrosine kinase activity, which plays an important role in early hematopoiesis ( <u>Perez et al. 2007</u> ).   |  |  |  |
|                                   | Hematopoietic stem cells (HSC) of bone marrow have multilineage differentiation potential and an extensive capacity for self-renewal. The majority of adult bone marrow hematopoietic progenitor cells are CD117+ and have been used successfully in xenograft transplantation models for long term survival of grafts, without symptoms of graft-versus-host disease (GVHD).  |  |  |  |
|                                   | Mouse anti pig CD117, clone 2B8/BM recognizes CD117 on a small subset of porcine bone marrow progenitor cells and therefore provides an alternative tool from the previously used c-kit ligand stem cell factor, for the isolation and enrichment of porcine stem cells.   |  |  |  |
| Flow Cytometry                    | Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.  |  |  |  |
| Western Blotting                  | Clone 2B8/BM detects a band of approximately 155kDa in enriched porcine bone marrow cell lysates under non-reducing conditions.  |  |  |  |
| References                        | <ol> <li>Pérez C <i>et al.</i> (2007) Characterisation of porcine bone marrow progenitor cells identified by the anti-c-kit (CD117) monoclonal antibody 2B8/BM. J Immunol Methods. 321 (1-2): 70-9.</li> <li>Hatzistergos, K.E. <i>et al.</i> (2010) Bone marrow mesenchymal stem cells stimulate cardiac stem cell proliferation and differentiation. Circ Res. 107: 913-22.</li> <li>Escalona, Z. <i>et al.</i> (2014) Molecular characterization and expression of porcine Siglec-5. Dev Comp Immunol. 44 (1): 206-16.</li> </ol> |  |  |  |

4. Wehman, B. *et al.* (2016) Mesenchymal Stem Cells Preserve Neonatal Right Ventricular Function In A Porcine Model Of Pressure Overload. <u>Am J Physiol Heart Circ Physiol. Apr 22:ajpheart.00955.2015. [Epub ahead of print]</u>

5. Wehman, B. *et al.* (2016) Intracoronary Stem Cell Delivery to the Right Ventricle: A Preclinical Study. Semin Thorac Cardiovasc Surg. 28 (4): 817-24.

**Further Reading** 

1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update.

Vet Res. 39: 54.

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA2598GA

10040

Regulatory

For research purposes only

### Related Products

# **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

**Recommended Negative Controls** 

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Fax: +1 919 878 3751
Email: antibody\_sales\_us@bio-rad.com

Fax: +44 (0)1865 852 739

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M367235:200529'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint